

A comparative Life Cycle Analysis of new and old designs of crane truck frames - Case study at Vemservice

MID SWEDEN UNIVERSITY

Environmental Science & Environmental Engineering (MX004G and MÖ009G)

Course: Individual assignment (15 credits) Author: Mahmudur Khan Aryan Rahman Degree programme: Eco-technology 180 hp Main field of study: Environmental science

Semester, year: Spring, 2018 Supervisor: Torbjörn Skytt Examiner: Erik Grönlund

Abstract

The main objective of this Bachelor's thesis is to investigate and deliver the results of environmental impacts of two different designs of crane truck frames. The aim is to investigate if additional new design of crane truck frames, with less energy and transportation during manufacturing of the crane truck, can improve energy efficiency of crane trucks throughout their lifecycle. Case study object for this report is Vemservice in Vemdalen, Sweden. As basis for the report the The Life Cycle Analysis ISO 14040 and ISO 14044 are used in this report in order to evaluate and compare the environmental impacts related to the lifecycle of new and old designs of 92 tonmeter crane truck frames from cradle to grave. The data was mainly collected and calculated by using the SimaPro software 8.0.5 which is based on the Ecoinvent 3 database. This study mainly analyzes environmental impacts such as GWP (Global Warming Potential), CED (Cumulative Energy Demand) and ReCiPe environmental impacts. The results showed that although new design frame has less transportation and energy demand during the manufacturing phase of the crane truck, the overall life cycle of the new design crane truck frame has higher environmental impacts than the existing old design of the crane truck frame. This is due to that the new design frame is 213kg heavier than the old design frame, which the crane truck is carrying during its using period. This study also investigated whether the new design frame, with stronger steel (Ecoupgraded steel) and a reduction of 15% of the total weight of frame, has a lower environmental impact in the life cycle of the EcoUpgraded steel frame compared to the current new design and old design frames life cycle.

Key words: LCA, Life cycle analysis, Crane truck, GWP, global worming potential, CED, cumulative energy demand.

Acknowledgements

I would like to thank people who have provided relevant data and support in order to complete this thesis study. I would like to especially thank my advisor Torbjörn Skytt at Mid Sweden University for providing me valuable insights regarding this study. I would also like to thank this project's leader Marlene Holm and project developer Benny Larsson, Christer Alkerud and SSAB's technical department for providing all the information which was important for this thesis study.

Without all of your support this thesis would not have been possible to complete.

Thank you all so much.

Mahmudur Khan Aryan Rahman, 2018

KEY TO ABBREVIATIONS

CED Cumulative Energy Demand

GWP Global Warming Potential

GHG Greenhouse Gas

ISO International Organization for Standardization

LCA Life Cycle Assessment

LCI Life Cycle Inventory

LCIA Life Cycle Impact Assessment

GWP 100 Global warming potential calculated on a time interval of 100 years

Kg CO2-eq Carbon dioxide equivalents in kilogram

MJ Megajoule

GJ Gigajoule

TJ Terajoule

Pt Point

SSAB Svenskt Stål Aktiebolag (Swedish Steel Corporation)

HYBRIT Hydrogen Breakthrough Ironmaking Technology

92 tm Crane truck 92 Tonmeter crane mounted on a truck

Tkm Ton kilometre

Cradle-to-gate Raw material extract to product manufacture

Cradle-to-grave Raw material extract to product end life

Table of contents 1.1.3. New design crane truck for this study9 1.2. Problem definition 10 2.4. Functional unit 4.1 Crane truck manufacture (Cradle-to-gate) 4.2 Crane truck frames life cycle (Cradle-to-grave) 20 6. Conclusion 30 7. References 31

List of tables

Table 1.1 Frame types, frame weights and crane sizes	9
Table 2.1: Included and excluded factors of the study	12
Table 4.1: Life cycle impact analysis of new design crane truck	17
Table 4.2: Life cycle impact analysis of old design crane truck	18
Table 5.1: Comparison impact between new and old design crane truck life cycle	20
Table 5.2: Comparison GWP and energy saving between new design crane truck life cycle	frame
with Strenx 700 MC steel and EcoUpgraded Strenx 1100 MC steel	26
Table 5.3: Comparative analysis results of the environmental indicators of three different	design
crane truck lifecycle	27

List of figures

Figure 1.1: Activities of crane truck manufactured by Vemservice8
Figure 1.2: Old design frame for 92 tonmeter crane trucks with one pair of beam in cross section.
view8
Figure 1.3: New design of crane truck central frame with double beam in cross section view9
Figure 1.4: Bending resistance and torsional stiffness of new design of crane truck frame10
Figure 2.1: System Boundary of the study12
Figure 4.1: Contribution of energy input in crane truck manufacture new and old design19
Figure 4.2: Contribution of GWP kg CO2 eq input in crane truck manufacture new and old
design19
Figure 4.3: GWP (kg CO2 eq.) contribution of new and old design crane truck life cycle20
Figure 4.4: Energy contribution of new and old design crane truck life cycle20
Figure 5.1: Comparison energy (CED) between new and old design crane truck manufacturing at
Vemservice22
Figure 5.2: Comparison energy (CED) consumption between new and old design crane truck life
cycle22
Figure 5.3: Comparison of the environmental impact assessment between new and old design
crane truck life cycle based on the Recipe endpoint (H)23
Figure 5.4: Comparison between life cycle of new and design crane trucks' negative effects on
human health, ecosystem and resource scarcity23
Figure 5.5: Comparison the environmental impact assessment between new and old design crane
truck manufacturer based on the Recipe endpoint (H)24
Figure 5.6: Comparison between manufacture phase of new and design crane trucks negative
effects on human health, ecosystem and resource scarcity24
Figure 5.7: Comparison GWP between Old design vs new design vs Eco Upgraded steel frame life
cycle28
Figure 5.8: Comparison CED between old design vs new design vs EcoUpgraded steel frame crane
truck lifecycle28
Figure 5.9: Comparison ReCiPe environmental impact endpoint level between crane truck with
Ecoupgraded steel frame, new design frame and old design lifecycle29
Figure 5.10: Comparison ReCiPe (characterization) environmental impact between crane truck
with Ecoupgraded steel frame, new design frame and old design lifecycle29

1. Introduction

A crane truck is a truck that has a crane mounted on the truck. The truck can carry-out lifting work and transporting of goods at the same time. A crane truck is the most widely used crane installed on ordinary trucks or tailor-made chassis with strong operability (Sang et al., 2016). Beddows and Harrison's (2008) study showed that the emission factors depends on the vehicle type, the vehicle gross weight, the engine size, fuel and emission legislation and the road condition such as rural, urban or a highway road. Dhingra and Das' (2014) LCA study expressed that reducing the weight of the vehicles is one way of achieving better fuel economy during the use stage of the automobile's life cycle. This can be done by replacing the cast iron and steel in the engine with other lighter weight metals (Dhingra & Das, 2014). In the study of Kelly et al. (2015), it was showed that material substitution can reduce vehicle weight, and it often increases vehicle-cycle (all the process related to manufacturing cycle) GHGs. This is due to replacing steel with other metal such as aluminium might be a better option, which will increase vehiclecycle (until manufacturing cycle) GHGs. However, lifetime fuel economy benefits often overcome the vehicle manufacturing cycle, resulting in a net total life-cycle GHG benefit (Kelly et al., 2015). The vehicles' life cycle use stage impact directly depends on the quantity of fuel consumed (Nemry et al., 2008). Koffler and Rodhe-Branburger (2010) study expressed that vehicles' total weight has significant affect of fuel consumption and about one third of total fuel consumption directly depends on vehicles mass. The total weight reduction of a crane truck may have less environmental impacts in the life time. On the other hand, all the process related to the manufacturing cycle of a crane truck, such as reducing energy and transportation during manufacture period but increasing the total weight of a crane truck, is likely to increase the total environmental impacts of the crane truck's lifecycle.

1.1. Background

This study is part of a project of crane truck manufacturing company called Vemservice that is situated in Vemdalen, Sweden. This project is partly funded by the Swedish Vehicle Strategic Research and Innovation (FFI, 2015) and Swedish Energy Authority (in Swedish Energimyndigheten). The name of the project is 'Additional decision-research and development on increased energy efficiency of crane trucks' (Energimyndigheten, 2014).

The project aims to investigate if additional new design of crane truck frames, with less energy and transportation during manufacturing of the crane truck, can improve energy efficiency of crane trucks throughout their lifecycle.

Vemservice is taking into account the entire life cycle of their crane trucks which is important according to FFI's (Fordons Strategisk forskning och innovation) strategic roadmap (FFI, 2015). Therefore, it is important to take into account the energy consumption during production, which is an important factor during the project new design application.

1.1.1. Crane truck

The main functions of a crane truck is that it can carry out lifting work, carry goods all over the truck and it can be driven on both motorways and individual roads. The crane truck can transport what is to be lifted and possible to drive in near to the place where the goods are to be lifted to or from. The crane truck also has the possibility of angling the lifting arm so that, for example, it can lift an object from a

room high up or grab an object further away from the truck's support legs (Alkerud & Larsson, personal communication, April 18, 2018).



Figure 1.1: Activities of crane truck manufactured by Vemservice (Vemservice, 2018).

1.1.2. Crane truck for this study (Vemservice)

Vemservice manufactures and delivers different crane sizes of crane trucks, depending on the crane lifting capacity which is decided by the customers. At present they manufacture crane trucks mostly mounted with 92 tonmeter crane, 78 tonmeter crane or less than 78 tonmeter cranes. For this study, the crane truck mounted with 92 tonmeter crane has been chosen that has total weight of 26 tonnes without load. The crane truck can transport a capacity of maximum 6 tonnes. So the total weight of this type of crane truck including load is 32 tonnes. The total weight of the frame of crane truck with 92 tonmeter crane is 2117 kg (Alkerud & Larsson, personal communication, April 18, 2018). The figure 1.2 shows the current old design frame with one pair of beam for the crane truck with 92 tonmeter crane. The truck used for crane truck at Vemservice is usually Volvo and Scania with Euro 6 engine (Vemservice, 2018). The total of weight of crane truck should not exceed more than 32 tonnes according to Swedish Transport Agency (Transportstyrelsen, 2010).



Figure 1.2: Old design frame for 92 tonmeter crane trucks with one pair of beam in cross section view. (SSAB, n.d.)

1.1.3. New design crane truck for this study

New design frame 92 tonmeter crane truck was chosen for this study to make a reasonable life cycle analysis comparison with the old design frame 92 tonmeter crane truck. This is due to both crane trucks having the same kind of crane that is mounted in the truck. The weight of the new design 92 tonmeter crane truck frame is 2330 kg which is 213 kg more than old design crane truck frame. That means new design crane truck will carry this additional 213 kg weight in its whole life cycle period. This additional 213 kg is due to extensive new design which is increases crane truck strength during lifting operation and transportation goods. Figure 1.3 shows new design frame with two pair of beams for 135 tonmeter crane truck. New design frame for 92 tonmeter crane truck will have one pair of beam instead of two pair of beams.



Figure 1.3: New design of crane truck central frame with double beam in cross section view. (SSAB, n.d)

The table 1.1 shows the different types of crane truck frames, their weights and the types of crane that fits according to the frame. The LCA comparison was chosen in this study between old design frame with one pair of beam and new design frame with one pair of beam and both frame having the same crane 92 tonmeter that mounted on trucks (Blue text in table 1.1).

Frame Type	Weight of frame	Crane size for trucks
Old design frame without pair of beams	1782 kg	78 tonmeter or less
Old design frame with 1 pair of beams	2117 kg	92 tonmeter
New design frame without pair of beams	1862 kg	78 tonmeter or less
New design frame with 1 pair of beams	2330 kg	92 tonmeter
New design frame with 2 pair of beams	2695 kg	135 tonmeter

Table 1.1: Frame types, frame weights and crane sizes. (SSAB, 2017)

The weight difference between new and old design 92 tonmeter crane truck frame = (2330kg - 2117kg)= 213kg

1.1.3. Why new design crane truck frame?




Figure 1.4: Bending resistance and torsional stiffness of new design of crane truck central frame.(SSAB, n.d.)

The SSAB's FEM mechanical study report shows (figure 1.4) that additional new design of the crane truck's central frame increased three times bending resistance and 1.5 times torsional stiffness from the old design crane truck frame (SSAB, 2017; SSAB, n.d.). Bending resistance means new design frame will be more stable instead of bending during transportation goods on crane truck (figure 1.4 left).

According to Larsson and Alkerud (personal communication, April 18, 2018) by implementing a new design, the lifting capacity of crane trucks can make it possible to increase mounting from 92 tonmeter crane to 135 tonmeter crane. This is due to torsional stiffness of new design frame, which means that when a crane will lift goods the truck will be standing stable instead of tilted one side. Vemservice's aim is to replace mobile cranes with truck cranes to a greater extent through increased lifting capacity for truck cranes. The new design crane truck body frame construction will be bolted instead of welded. This can make the new design crane truck frame easier to transport during the crane truck manufacture at Vemservice. The new design will allow transporting the production of materials five times more because it will come as flat packets from SSAB to Vemservice. Moreover, the new design body frame will be allowing a single construction to be used for all chassis brackets like Volvo 850 and Scania's 770 mm. The new design crane truck with double beam (figure 1.3) frame can increase lifting capacity by mounting 135 tonmeter cranes in the truck. In that case, the crane's own weight increases by two tonnes and the frame weight with double beam is 2695 kg. The total weight of the truck with 135 tonmeter crane will be around 28.5 tonnes and still it will be allowed to carry goods of maximum 3.5 tonnes. For additional goods transportation a trailer can be added (Alkerud & Larsson, personal communication, April 18, 2018).

1.2. Problem definition

The project's relevant objectives express that old design crane truck frames' may have higher energy consumption in the crane truck manufacturing stage due to welding, only one crane truck frame can be transported to Vemservice at a time and after that be transported additionally two times for painting during manufacturing of the crane truck at Vemservice.

The current old design crane truck frames' bending resistance and torsional stiffness may need to be improved in order to increase transportation of goods and crane lifting capacity. The new design crane truck is capable to replace mobile cranes in some case by mounting high lifting capable 135 tonmeter crane in the truck.

2. Goal and scope definition

2.1. Goal

The main goal of this study is to make a comparative LCA cradle-to-grave (raw material extraction to end life) between the existing old design frame of crane trucks and the new design frame of crane trucks.

Comparison between old and new crane truck frames of cradle-to-gate (from raw material extraction to crane truck manufacture) will be conducted in this LCA study since cradle-to-gate is a part of cradle-to-grave of a product. It is important to show also cradle-to-gate in this study in order to evaluate old and new design crane truck manufacture at Vemservice. Hence, Vemservice takes into account the energy consumption during production, which is an important factor during the project new design application.

The investigation is a case study of the crane trucks manufactured at Vemservice in Vemdalen, Sweden. This LCA study aims to identify which design (old design or new design) of the crane truck that have the highest environmental impact in global warming potentials, energy demand, and other environmental impacts and why they have such values.

2.2. Methodology

The Life-cycle assessment (LCA), also referred to as Life-cycle analysis, is a cradle-to-grave analysis methodology used in this study in order to quantify and compare the environmental impacts between the old design crane truck body frame with the new design crane truck body frame. Cradle-to-gate analysis is also used in this study in order to show the environmental impacts from raw material extraction for crane truck frame to crane tuck manufacture at Vemservice. Life-cycle assessment is a technique to assess environmental impacts associated with all the stages of a product's life from raw material extraction through materials processing, manufacture, distribution, use, repair and maintenance, and disposal or recycling. This study is followed according to the ISO 14040 (ISO 14040:2006, 2016) and ISO 14044 (ISO 14044:2006, 2016) regulations that describe following four basic steps of the assessment procedure:

- (1) Goal and scope definition,
- (2) Life cycle inventory (LCI),
- (3) Life cycle impact assessment (LCIA)
- (4) Life cycle interpretation.

2.2.1. System boundary

The system boundary chosen to this LCA study was 'cradle to grave' of the crane truck frame. This type of system boundary includes a product's extraction of raw materials, manufacturing, transportation, use and end life.

The system boundary in this study (figure 2.1) included the frame of crane truck that is produced of low-alloyed steel production at SSAB, processed steel used for manufacturing the crane trucks at Vemservice, transportation during manufacturing of crane trucks, and transportation and maintenance during the use phase of crane trucks to end-life. This study will especially investigate the energy consumption and environmental impacts of two different designs of the crane truck frames in their life cycle.




Figure 2.1: System Boundary of the study.

The included and excluded factors of this study are shown in Table 2.1. Since this is a comparative LCA from cradle-to-grave, the study has been limited to include the part that has highest to minimum lowest impact on the crane trucks frame life cycle.

Included factors	Excluded factors		
Steel raw material extraction for crane truck frame	Energy for steel bending, laser cutting, welding outside at Vemservice.		
Primary steel production and process at SSAB	Truck manufacture		
Electricity and energy for steel manufacture	Crane manufacture		
Steel frame transport to crane truck manufacture at Vemservice	Energy for painting		
Transportation of crane truck for painting	Human labour energy		
Total electricity use at Vemservice yearly	Crane lifting energy and emission		
Crane truck use phase, operation, maintenance and end of life of vehicle and road infrastructures	Transportation of stakeholders (for instance workers and costumers)		
Transportation of goods	Industrial buildings and equipment of the manufacturing industry		

Table 2.1: Included and excluded factors of the study

2.3. Data collection methods

2.3.1. Primary data

The primary data was collected from the description of the project (FFI Energi och Miljö, 2017) and SSAB's mechanical study (SSAB, 2017). The additional data has been collected by interviews with project developers Benny Larsson and Christer Alkerud from the crane truck manufacturing company Vemservice. Additional data related to steel production was collected by interviewing Erik Hansson who is responsible as a technical support for SSAB's Eco –upgraded steel production.

2.3.2. Background data, data quality and assumption

The background data is based on average datasets that was mainly collected and calculated by using the SimaPro software 8.0.5 (SimaPro, 2016) which is based on the Ecoinvent 3 database. The Ecoinvent version 3 database contains LCI data from various sectors such as materials of different metal, energy production, transportation, production of chemicals etc. The entire database consists of over 10,000 interlinked datasets, each of which describes a life cycle inventory on a process level (Ecoinvent, 2017). This database is used in this study in order to acquire inventory data from the manufacturers and use phase to assess environmental impacts. Ecoinvent 3 database is recognised being the internationally most consistent, transparent and updated database for life cycle inventory. The activities of life cycle inventory analysis in the SimaPro database chosen for this study were European condition (used as {RER} in SimaPro database) at first and then as much as close to Swedish conditions as possible chosen in the SimaPro database (Frischknecht et al., 2007). Moreover, some of the estimation data based on assumptions which were used in this study were based on interviews, a literature study and previous studies.

2.4. Functional unit

One (1) 92 tonmeter crane truck frame is assumed to have a life cycle of 500,000 km on a crane truck.

2.5. Life cycle impact assessment method categories

Life cycle impact assessment (LCIA) helps to evaluate the magnitude and significance of the potential environmental impacts of a product or a service throughout its entire life cycle based on LCI (LC-Impact, 2016). The LCIA was expressed by using the LCA software package SimaPro v.8.0.5 (SimaPro, 2016). The results of the LCIA methods were calculated and the main sources of environmental impacts identified. Three life cycle impact methods were chosen in order to communicate and compare the results of this study, which were 1) IPCC (2013) GWP 100a, 1) Cumulative energy demand (CED) and 3) European ReCiPe (H). The impact assessment steps were Characterization, Damage Assessment, Normalization, Weighting and Single Score (Hischier et al, 2010).

2.5.1. The IPCC GWP 100a

The IPCC GWP 100a 2013 is the successor of the IPCC 2007 method, which was developed by the Intergovernmental Panel on Climate Change. According to IPCC 2007, assessments of climate change

impacts, adaptation and vulnerability are undertaken to inform decision-making in an environment of uncertainty. GWP is the most commonly used environmental impact method that is used in LCIA. The IPCC GWP 100a method provides a quantitative assessment of the impact of the greenhouse gas effect as a function of the carbon dioxide equivalent (CO2 eq.) released during the assumed time horizon of 100 years (IPCC, 2013). Global warming potential (GWP 100a) was chosen in this study in order to compare the potential climate change associated with emissions of different greenhouse gases over a 100 years period. The characterisation values for greenhouse gas emissions are based on global warming potentials published by the IPCC (IPCC, 2013).

2.5.2 Cumulative energy demand (CED)

Energy consumption is one of the most important aspects of crane truck frame production from steel and the crane truck use phase. Methods to calculate Cumulative Energy Demand (CED), based on the method published by ecoinvent version 2.0 and expanded by PRé Consultants for raw materials, are available in the SimaPro 8.0.5 database (Frischknecht et al, 2007).

The CED method is chosen in this study in order to investigate and compare new and old design crane truck frame's energy demand through the lifecycle of a crane truck. The CED methods includes the direct and indirect energy or grey energy used throughout the life cycle of the product and that is included in the energy consumed during the raw materials extraction, manufacturing, and disposal of raw materials. This method consists of five resource categories: two non-renewable (fossil and nuclear) and three renewable (biomass, water and "wind, solar, geothermal"), which are given for the energy resources as characterization factors (Hishier et. Al., 2010).

2.5.3 European ReCiPe (H) endpoint, hierarchist version.

European ReCiPe endpoint (H) characterization method is chosen in the study in order to present and compares the old and new design crane trucks' effects on human health, ecosystem and resource consumption. European ReCiPe (European H/A) refers to the normalisation values of Europe with the average weighting set (Simapro, 2018).

In ReCiPe methods, the indicators are established at two levels that are midpoint level and endpoint level. The midpoint level has 18 indicators that show single environmental impacts such as ozone depletion, human toxicity and freshwater eutrophication etc. The endpoint indicators show the environmental impact on three higher accumulation levels which have effect on 1) human health, 2) ecosystem and 3) resource scarcity. Converting midpoints to endpoints simplifies the interpretation of the LCIA results. The ReCiPe unit point (Pt) expressed the total environmental impact as a single score which is combined with characterization, damage assessment, normalization and weighting (Goedkoop et al., 2009).

3. Life Cycle Inventory (LCI)

3.1 Primary steel production

For this inventory, steel, low-alloyed steel production, converter and allocation default system with EU technology mix was selected in the SimaPro database. This process produces primary steel which is included in cradle-to-gate of steel production, which means that this process includes raw material extraction to processed steel for crane truck frames. Transports of hot metal and other input materials to converter, steelmaking process and casting are included in the process. Electricity high voltage Swedish mix was selected in SimaPro database for steel production at SSAB due to larger industry usually uses high voltage electricity in their production. According to the SSAB Environmental product declaration ISO 14025 report, for 1kg cold-rolled steel plates, sheets and coils production energy needed is 29.8MJ/kg or 8.27 kWh/kg and GWP is 2.66 kg CO2eq/kg of steel production (SSAB, 2014). Since the crane truck steel frame is produced by SSAB, therefore an additional 1.7 kWh electricity was added for 1 kg steel production in the SimaPro database, in order to make balance with energy and GWP.

3.2 Transportation during crane truck manufacturing at Vemservice

According to the project developers Benny Larsson and Christer Alkerud (personal communication, April 18, 2018), the old design of one single crane truck frame is transported around 1000 km before arriving at Vemservice. And then it needs to be transported 400 km twice for being painted. Hence, the total transportation for one crane truck of the old design was calculated to be 1800 km.

For new design crane trucks, five frames as flat packets at a time including one painting will be able to be transported to Vemservice and the distance will be around 1000 km. This means 200 km distance for one new design crane truck frame. It needs to be transported 400 km for one more time painting. So the total transportation was calculated 600 km during one new design crane truck manufactured at Vemservice.

Transport, freight lorry >32 metric ton, Euro 3 {RER} was selected in the SimaPro database during the transportation of crane truck frame from SSAB until Vemservice. Transport, freight lorry 16-32 metric ton, Euro 6 {RER} was selected during the painting phase due to crane truck assembled Euro 6 engine (Ecoinvent 3, 2015).

3.3 Electricity for crane truck frame manufacturing at Vemservice

For this inventory, electricity medium voltage Swedish mix was selected in the SimaPro database. This dataset describes the electricity available on the medium voltage level in the country. This is done by showing the transmission of 1 kWh electricity at medium voltage.

At present, Vemservice manufactures 20 crane trucks per year and electricity consumption per year is 180,000 kWh. This means that for manufacturing one old design crane truck the consumption of electricity is around 9,000 kWh. With the new design Benny Larsson estimates that Vemservice is able to manufacture 30 crane trucks per year. This is due to onetime less painting during crane truck manufacturing at Vemservice and less welding than old design.

For the new design the electricity consumption is estimated to be 200,000 kWh per year according to Benny Larsson. For manufacturing one new design crane truck electricity consumption will be around 6700 kWh (personal communication, April 18, 2018).

3.4 Transportation use phase

Transport, freight lorry 16-32 metric ton, Euro 6 {RER} (Trucks with Euro 6 engine mostly used at Vemservice) was selected in the SimaPro database for this inventory. The transport datasets refer to the entire transport life cycle i.e. to the operation, maintenance and end of life of vehicle and road. Fuel consumption and emissions are for average European journeys. The average load factors are taken from the Tremove model v2.7b (Transport and Mobility Leuven, 2009) and EcoTransIT (Eco Transit World, 2011) report.

Transportation for one crane truck in life cycle is assumed to be around 500,000 km according to Benny Larsson (personal communication, April 18, 2018; Truck NL, 2018).

3.5 Calculation for transportation

Total weight of the frame kg * Distance Km / 1000 = TKm (tonkilometer) Transportation during manufacturing old design frame: $2117kg \times 1800km / 1000 = 3810 TKm$ Transportation during use phase old design frame: $2117kg \times 500 000km / 1000 = 1058 500 TKm$

Transportation during manufacturing new design frame: $2330 \text{kg} \times 600 \text{km} / 1000 = 1398 \text{ TKm}$ Transportation during use phase old design frame: $2330 \text{kg} \times 500~000 \text{km} / 1000 = 1165~000 \text{ TKm}$

4. Life Cycle Impact Analysis (LCIA)

The main objective of the study is to investigate and deliver the results of environmental impacts of two different designs of crane trucks frame. The results of the environmental impact assessment of each phase of new design and old design crane truck frame life cycle are presented in table 4.1 and table 4.2. The numbers from the both tables shown that transportation during use of crane truck has the highest GWP, energy demand and ReCiPe environmental impacts. Electricity and transportation during manufacturing of crane truck has lowest impacts compare to steel production for frame and transportation during use of crane truck for both old and new design frame. The life cycle impact assessment of the inventory in more detail is presented in the Appendix A.

Phase	IPCC 2013 Climate change GWP 100a V 1.00 (kg CO2-Eq)	Cumulative energy demand. (Only fossil and nuclear, without renewable energy) (MJ- Eq)	European ReCiPe (H) Human Health (Daily) (Pt)	European ReCiPe (H) Ecosystem (Species.yr) (Pt)	European ReCiPe (H) Resources(\$) (Pt)
Steel Production	5909	57 500	387	116	657
Steel process	6200	91 500	398	131	663
Electricity for Steel process SSAB	204	34 100	10.5	14,6	6,04
Electricity Crane Truck manufacturer (Vemservice)	346	57 700	17,7	24,7	10,2
Transport during manufacture	119	2030	5,58	2,92	4,95
Transport during use crane truck	195 000	3 130 000	7990	4280	7790
Total	201 000	3 310 000	8410	4440	8470

Table 4.1: Life cycle impact analysis of new design crane truck

Climate e change GWP 100a V 1.00 ff (kg CO2-Eq) n		Cumulative energy demand. (Only fossil and nuclear, without renewable energy) (MJ- Eq)	European ReCiPe (H) Human Health (Daily) (Pt)	European ReCiPe (H) Ecosystem (Species.yr) (Pt)	European ReCiPe (H) Resources(\$) (Pt)	
Steel Production	5440	52 200	352	105	597	
Steel process	5630	83 200	361	119	603	
Electricity for Steel process (SSAB)	186	31 000	9,52	13,3	5,49	
Electricity Crane Truck manufacturer (Vemservice)	560	78 900	28,8	36,2	18,5	
Transport during manufacture	324	5520	15,2	7,96	13,5	
Transport during use phase of crane truck	177 000	2 870 000	7260	3,89E3	7080	
Total	183 000	3 040 000	7660	4060	7720	

Table 4.2: Life cycle impact analysis of old design crane truck

4.1 Crane truck manufacture (Cradle-to-gate)

Figure 4.1 shows the energy consumption from raw material extraction for frame to manufacture of crane truck (cradle to gate) and new crane truck needs 17GJ or around 11% less energy than the old design crane truck. Although, new design frame has 213kg more steel. This is due to less transportation and less electricity during the manufacturing phase of new design crane truck. New design crane truck needs 8400 MJ less energy or 2330kWh less electricity than old design crane truck manufacture phase at Vemservice. Processed steel for frame and electricity use for manufacture crane truck at Vemservice are the biggest contributor in this cradle to gate process. Figure 4.2 shows the opposite result that new design crane truck manufacture (6810kg CO2 eq) has 160 kg higher GWP than old design (6650kg CO2 eq). This is clearly seen from figure 4.2 that is due to high amount of CO2 emission from steel production at SSAB for the crane truck frame.




Figure 4.1: Contribution of energy input in crane truck manufacture new and old design




Figure 4.2: Contribution of GWP kg CO2 eq input in crane truck manufacture new and old design

4.2 Crane truck frames life cycle (Cradle-to-grave)

The figure 4.3 and figure 4.4 show the GWP (kg CO2 eq.) and energy consumption from raw material extraction to end life (cradle-to-grave) of crane truck frame. The figures (4.3 and 4.4) show that transportation during the use phase (biggest red part) is the largest contributor of GWP (kg CO2 eq.) and energy demand in both new and old crane truck frame life cycle. This is due to use of fossil fuel during use phase of crane truck frame. The figures (4.3 and 4.4) also show that GWP and CED contribution of other phases such as steel production, electricity and transportation during manufacturing phases are very low compare to use phase of crane truck frame life cycle. The overall results show that new design crane truck frame life cycle has 18 tonnes or around 9% more GWP (kg CO2 eq.) than old design crane truck frame. The energy demand (figure 4.4) of new design of crane truck frame lifecycle is 270 GJ higher that old design crane truck frame lifecycle. This is due to 213 kg additional weight of new design crane truck frame.




Figure 4.3: GWP (kg CO2 eq.) contribution of new and old design crane truck life cycle




Figure 4.4: Energy contribution of new and old design crane truck life cycle

5. Life Cycle Interpretation and discussion

The comparison results of new design and old design of the crane truck frame's life cycle is presented in table 5.1. The differences value of the table showed that new design crane truck frame has 18 tonnes more GWP climate impact and 270GJ more energy demand than old design crane truck frame in the lifecycle. New design has 750 Pt more negative impact on human health and resources scare, and 380 Pt negative impacts on ecosystem.

Crane truck frame	IPCC 2013 Climate change GWP 100a V 1.00 (kg CO2-Eq)	Cumulative energy demand. (Only fossil and nuclear, without renewable energy) (MJ)	European ReCiPe (H) Human Health (Daily) (Pt)	European ReCiPe (H) Ecosystem (Species.yr) (Pt)	European ReCiPe (H) Resources(\$) (Pt)
New design crane truck frame 92 tm life cycle	201 000	331 0000	8410	4440	8470
Old design crane truck frame 92 tm life cycle	183 000	304 0000	7660	4060	7720
Differences	18 000	270 000	750	380	750

Table 5.1: Comparison impact between new and old design crane truck life cycle

The figure 5.1 shows (cradle-to-gate) that old design crane truck manufacturing consume 69 GJ more energy than new design crane truck manufacture. Non-renewable fossil fuel, nuclear energy and hydro (water renewable) energy are the biggest energy sources.

On the other hand, figure 5.2 diagram shows (cradle-to-grave) that the energy consumption of new design crane truck frame lifecycle is 270 GJ more than old design crane truck frame lifecycle. The non-renewable fossil fuel is the biggest part of the energy consumption due to fossil fuel for example diesel consumption at the use phase for 500 000 km transportation of crane truck. This is due to new design crane truck frame has 213kg additional weight, that new design crane truck will carry during its entire 500 000 km use phase cycle.




Figure 5.1: Comparison energy (CED) between new and old design crane truck manufacturing at Vemservice




Figure 5.2: Comparison energy (CED) consumption between new and old design crane truck life cycle

The diagram in figure 5.3 shows the ReCiPe environmental impacts on single score level from the new and old design crane truck frame life cycle. It presents that two indicators, agricultural land occupation and ionising radiation, are almost in the same level. Figure 5.4 shows the endpoint indicators of the environmental impact of old and new design crane trucks' life cycles on three higher accumulation levels which are 1) human health, 2) ecosystem and 3) resource scarcity. It presents that new design crane truck has higher impact in all three indicators.




Figure 5.3: Comparison of the environmental impact assessment between new and old design crane truck life cycle based on the Recipe endpoint (H).





Figure 5.4: Comparison between life cycle of new and design crane trucks' negative effects on human health, ecosystem and resource scarcity

The diagram in figure 5.5 shows the ReCiPe environmental impacts on single score level from the new and old design crane truck manufacture (cradle-to-gate) which is different than the lifecycle (cradle-to-gate) of crane truck frames. It presents that old design crane truck manufacturing has highest environmental impact in most cases, except metal depletion, freshwater eutrophication, human toxicity, and particulate matter formation. Metal depletion is higher due to new design crane truck frame need 213kg more steel than old design.

Figure 5.6 shows the endpoint indicators of the environmental impact where new design crane truck manufacture has higher impact on human health and resource scarcity. On the other hand, impact on ecosystem shows opposite results.



Comparing 1 p 'Crane Truck frame 92tm Manufacture (New design)' with 1 p 'Crane truck frame manufacture 92tm (old design)';

Figure 5.5: Comparison the environmental impact assessment between new and old design crane truck manufacturer based on the Recipe endpoint (H).




Figure 5.6: Comparison between manufacture phase of new and design crane trucks negative effects on human health, ecosystem and resource scarcity

5.1 Mobile crane replaced by crane truck 135 tm crane

According to an earlier study by Nora Lundblad (2017), a crane truck with 92 tonmeter crane (total weight crane truck 26 tonnes) that runs 100 km to the workplace with 40L fuel consumption and only carries out the lift work (fuel consumption 3l/h for lift work) has 230kg GWP compared to mobile crane when a mobile crane runs 100km to the workplace with 70L fuel consumption and carries out the lift work has 345kg GWP. It showed that crane truck has 42% less GWP climate impact and energy consumption compared mobile crane (Lundblad, 2017). By using data from Lundblad's report it was calculated from the same scenario perspective (which was Scenario 3 in her report) that when new design crane truck with 135 tonmeter crane (28.5 tonnes total weight of crane truck) runs to the workplace 100km and only carries out the lift work (assumed fuel consumption 4,5l/h for lift work) has 274kg GWP. Crane truck with 135 tonmeter crane has 22,5% less GWP climate impact and energy consumption than mobile crane when a mobile crane has driven 100km to workplace and carries out the lift work. In addition, 135 tm crane trucks still can transport 3.5 tonnes goods during the operation. It means new design frame with 135 tonmeter crane has less environmental impact when it replaced to mobile crane.

5.2 Use of stronger EcoUpgraded steel

If new design 92 tm crane truck frames steel called Strenx 700 MC is replaced by stronger SSAB's EcoUpgraded Strenx 1100 MC steel, then it might have different environmental impact in crane truck life cycle (SSAB, 2018). According to Erik Hansson (personal communication, May 11, 2018) from SSAB, the energy and emission of Strenx 700 MC and Strenx 1100 MC is more or less same but they have different raw material compositions in the production and rolling processes. However, the Strenx 1100 MC steel is more expensive due to expensive raw material input. Weight reduction depends on the application of the product. If the steel yield strength is double then weight reduction will be half in general. But it depends on the application of the product (Erik Hansson, personal communication, May 11, 2018). A similar project at SSAB's loader crane showed that if the steel yield strength of crane truck beam could be increased from 800 MPa to Strenx 1100 by reducing around 15% of the upgraded parts. As a result, it increases the load capacity of the truck, reducing fuel consumption per ton transported (SSAB, 2018).

By using SimaPro database calculation, it showed that if the new design crane truck frames steel Strenx 700 MC were replaced by Strenx 1100 MC with 15% weight reduction of crane truck frame then around 30 tonnes CO2 eq. and 650 GJ energy or equivalent 180 555 kWh electricity can be possible to save during the whole life cycle of the crane truck frame (table 5.2).

New design Crane truck frame Steel	Weight of frame (Kg)	IPCC 2013 Climate change GWP 100a V 1.00 (kg CO2-Eq)	Cumulative energy demand. (Only fossil and nuclear, without renewable energy) (MJ)
Life cycle of new design 92 tm crane truck frame steel Strenx 700 MC	2330	201 000	3 310 000
Lifecycle of new design 92 tm crane truck frame steel Eco- Upgraded Strenx 1100 MC	1980	171 000	2 660 000
Savings	350	30 000	650 000


Table 5.2: Comparison GWP and energy saving between new design crane truck life cycle frame with Strenx 700 MC steel and EcoUpgraded Strenx 1100 MC steel

Table 5.3 shows the results of the environmental impacts of three different designs or different steel frames of crane trucks. The life cycle analysis showed that new design 92 tm crane truck had the highest environmental impact in all kind of impact categories and new design with the Eco-Upgraded steel frame had lowest environmental impact.

LCIA method	Damage/impact category	Unit	Old design 92 tm lifecycle	New design 92 tm lifecycle	New design EcoUpgrade d 92 tm Lifecycle
IPCC	Carbon footprint	kg CO2 eq	183241.8	201170.5	171137,6
CED	Total energy demand	MJ	3040000	3310000	2830000
	Nonrenewable, fossil	MJ	2850132	3129925	2662135
	Non Renewable, nuclear	MJ	117000	111000	99900
	Non renewable, biomass	MJ	81.4	87.5	16.2
	Renewable, biomass	MJ	27300	27300	24200
	Renewable, wind, solar, geothermal	MJ	3750	3920	3400
	Renewable, water	MJ	43100	41300	36900
Recipe midpoint(H)	Climate change	Kg CO2 eq	183241.8	201170.5	171137,6
	Ozone Depletion Terrestrial acidification	kg CFC-11 eq kg SO2 eq	0.0333 442	0.0364 484	0.031 412
	Freshwater eutrophication	kg P eq	17.4	19	16.2
	Marine eutrophication	kg N eq	69.2	73.4	63,2
	Human toxicity	kg 1.4-DB eq	76700	84100	71600
	Photochemical oxidant formation	kg NMVOC	456	498	424
	Particulate matter formation	kg PM10 eq	295	323	275
	Terrestrial ecotoxicity	kg 1.4-DB eq	131	144	122
	Freshwater ecotoxicity	kg 1.4-DB eq	1600	1730	1490
	Marine ecotoxicity	kg 1.4-DB eq	2320	2520	2160
	Ionizing radiation	kg U235 eq	22000	22400	19600
	Agricultural land occupation	m2a	3820	3830	3390
	Urban land occupation	m2a	9580	10500	8940
	Natural land transformation	m2	65.7	72.1	61.3
	Water depletion	m3	647	692	594
	Metal depletion	kg Fe eq	17400	19100	16300
	Fossil depletion	kg oil eq	64500	70800	60200

Table 5.3: Comparative analysis results of the environmental indicators of three different design crane truck lifecycle.

The figure 5.7 and figure 5.8 shows life cycle comparison of GWP climate impacts and cumulative energy demand (CED) between old design, new design and Ecoupgraded Strenx 1100 MC steel frame of crane truck. From the both diagram it is clearly seen that crane truck with Ecoupgraded Strenx 1100 MC steel frame has lowest GWP climate impact and energy demand that old and new design crane. This is due lower weight of Ecoupgraded crane truck frame (1980 kg) than old design frame (2117 kg) and new design frame (2330 kg). According to SSAB stronger Ecoupgraded steel increases the load capacity of the truck; reduce fuel consumption per ton transportation (SSAB).



Comparing 1 p 'Crane truck frame 92tm Life cycle(old Design)', 1 p 'Crane truck frame 92tm Life cycle (New design)' and 1 p 'Crane truck frame 92tm EcoUpgraded Steel Lifecycle'; Figure 5.7: Comparison GWP between Old design vs new design vs Eco Upgraded steel frame life cycle.




Figure 5.8: Comparison CED between old design vs new design vs EcoUpgraded steel frame crane truck lifecycle

Figure 5.9 shows the ReCiPe endpoint indicators of environmental impact on three higher accumulation levels; human health (blue), ecosystem (yellow) and resource scarcity (red). New design crane truck frame has highest impacts, old design frame has second highest impacts and new design with Ecoupgraded steel frame has lowest impacts on human health, ecosystem and resource scarcity.

Figure 5.10 shows the ReCiPe midpoint level on single environmental problem where new design crane truck frame (yellow) is dominating in all environment problems. New design (yellow) and old design (blue) frame has almost same impacts on agricultural land occupation and ionizing radiation. Ecoupgraded steel frame has lowest impact in all single environmental impact.




Figure 5.9: Comparison ReCiPe environmental impact endpoint level between crane truck with Ecoupgraded




Figure 5.10: Comparison ReCiPe (characterization) environmental impact between crane truck with Ecoupgraded steel frame, new design frame and old design lifecycle.

6. Conclusion

The Life Cycle Analysis ISO 14040 (ISO 14040:2006, 2016) and ISO 14044 (ISO 14044:2006, 2016) is used in this report in order to evaluate and compare the energy consumption and environmental impacts related to the lifecycle of new and old designs of frames of 92 tonmeter crane trucks from cradle to grave. In summary, following conclusions can be drawn:

- a) The results of LCA from the cradle to gate excluding using phase (steel production for crane truck frame from raw materials extraction to manufacture of crane truck at Vemservice) evaluation of the two crane truck systems showed that the new design crane truck with 92 tonmeter crane manufacturing has less energy demand and less impact on ecosystem services. This is due to new design frame needs less transportation and less energy consumption during manufacture at Vemservice. New design crane truck manufacturing has higher GWP climate impact, higher impact on human health and resources scarcity than old design 92 tonmeter crane truck. This is due to new design crane needs more steel for frame production than old design.
- b) The results of LCA from the cradle to grave including using phase (steel production for crane truck frame from raw materials extraction to end life of a crane truck) evaluation of the two crane truck systems showed that the new design crane truck frame lifecycle has higher GWP climate impact, energy demand and ReCiPe environmental impacts than the existing old design crane truck frame lifecycle. This is due to additional 213 kg frame weight that new design 92 tonmeter crane truck carry throughout all its life cycle. The new design crane truck frame lifecycle only has less environmental impacts and is more energy efficient when new design 135 tonmeter crane trucks replaces the mobile crane.
- c) The primary estimation of the LCA results showed that if the new design 92 tonmeter crane truck frame would be replaced by the stronger EcoUpgraded steel frame then it will have less GWP climate impact, energy demand and other environmental impacts, compared to both the new and old design of the the 92 tonmeter crane truck frame lifecycle.
- d) Recommendation for future studies is therefore to make a further study based on the findings presented in point C as well as investigate possible economic benefits from using the EcoUpgraded Strenx 1100 MC steel.

7. References

Beddows, D. C. S., & Harrison, R. M. (2008). Comparison of average particle number emission factors for heavy and light duty vehicles derived from rolling chassis dynamometer and field studies. *Atmospheric Environment*, 42(34), 7954-7966.

Dhingra, R., & Das, S. (2014). Life cycle energy and environmental evaluation of downsized vs. lightweight material automotive engines. *Journal of Cleaner Production*, 85, 347-358.

Eco Transit World. (2011). *Ecological Transport Information Tool for Worldwide Transports*. Retrieved April 27, 2018 from https://www.ecotransit.org/download/EcoTransIT World Methodology Report 2014-12-04.pdf

Ecoinvent. (2017). *The Ecoinvent Database*. Retrieved April 25, 2018, from https://www.ecoinvent.org/database/database.html

European Environment Agency. (2016). *Overview of electricity production and use in Europe*. Retrieved May 5, 2018, from https://www.eea.europa.eu/data-and-maps/indicators/overview-of-the-electricity-production-2/assessment

Energimyndigheten. (2014). *Forskning och innovation*. Retrieved April 3, 2018, from http://www.energimyndigheten.se/forskning-och innovation/projektdatabas/sokresultat/?projectid=26883

FFI. (2015). Strategic roadmap within the initiative strategic vehicle research and innovation FFI-Efficient and connected transport systems (EUTS) [Broshure]. Retrieved from https://www.vinnova.se/globalassets/utlysningar/2009-02247/omgangar/strategic-roadmap-ffi_eutsoco2015-11-03_eng2.pdf857349.pdf

FFI Energi och Miljö. (2017). *Utvecklingsstudie för energieffektivisering av kranlastbilar*. [project application].

Frischknecht, R., Jungbluth, N., Althaus, H.-J., Doka, G., Dones, R., Hischier, R., Hellweg, S., Nemecek, T., Rebitzer, G., & Spielmann, M. (2007). *Overview and Methodology*. (Report No. 1). Dübendorf: Swiss Centre for Life Cycle Inventories

Goedkoop, M., Heijungs, R., Huijbregts, M., Schryver, A. D., Struijs, J., & van Zelm, R. (2009). *ReCiPe 2008. A life cycle impact assessment method which comprises harmonised category indicators at the midpoint and the endpoint level.* Retrieved May 4, 2018, from https://www.leidenuniv.nl/cml/ssp/publications/recipe_characterisation.pdf

Hischier, R., Weidema, B., Althaus, H.-J., Bauer, C., Doka, G., Dones, R., Frischknecht, R., Hellweg, S., Humbert, S., Jungbluth, N., Köllner, T., Loerincik, Y., Margni, M., & Nemecek T. (2010). *Implementation of Life Cycle Impact Assessment Methods*. (Report no. 3). Dübendorf: Swiss Centre for Life Cycle Inventories

IPCC. (2013). *IPCC Fourth Assessment Report: Climate Change 2007*. Retrieved April 24, 2018 from https://www.ipcc.ch/publications and data/ar4/wg1/en/ch2s2-10-2.html

ISO 14040:2006. (2016). Environmental Management – Life Cycle Assessment – Principles and Framework. In *International Organization for Standardization*. Retrieved April 13, 2018 from https://www.iso.org/standard/37456.html

ISO 14044:2006. (2016). Environmental Management - Life cycle Assessment - Requirements and Guidelines. In *International Organization of Standardization*. Retrieved April 13, 2018 from https://www.iso.org/standard/38498.html

Kelly, J., Sullivan, J., Burnham, A., & Elgowainy, A. (2015). Impacts of Vehicle Weight Reduction via Material Substitution on Life-Cycle Greenhouse Gas Emissions. *Environmental Science & Technology*, 49(20), 12535-42.

Koffler, C. Rodhe-Branderburger, K. (2010. On the calculation of fuel savings through lightweight design in automotive life cycle assessments. *Int. J. Life Cycle Assess.*, 15, 128-135

LC-Impact. (2016). *Life cycle impact assessment (LCIA) - LC-Impact*. Retrieved May 15, 2018 from www.lc-impact.eu/methodology-home

Lundblad, N. (2017). *Environmental performance for Crane truck*. (Unpublished bachelor's thesis). Mittuniversitetet, Sweden.

Moro, A., & Lonza, L. (in press). Electricity carbon intensity in European Member States: Impacts on GHG emissions of electric vehicles. *Transportation Research Part D.* Retrieved from https://www.sciencedirect.com/science/article/pii/S1361920916307933

Nemry et al., 2008 Nemry, F. Leduc, G. Mongelli, I. Uihlein, A. (2008) Environmental Improvement of Passenger Cars, IMPRO-car. *European Commission – Joint Research Centre* (2008)

Sang, Y., Zhu, Y., Zhao, H., & Tang, M. (2016). Study on an Interactive Truck Crane Simulation Platform Based on Virtual Reality Technology. *International Journal of Distance Education Technologies*, *14*(2), 68-78. Retrieved from https://www.igi-global.com/gateway/article/151054

SimaPro. (2016). *Introduction to LCA with SimaPro*. Retrieved April 14, 2018, from https://www.pre-sustainability.com/download/SimaPro8IntroductionToLCA.pdf

SimaPro. (2018). *SimaPro Database Manual*. Retrieved 2 May, 2018, from https://www.pre-sustainability.com/download/manuals/DatabaseManualMethods.pdf

SSAB. (2018). *Eco Upgraded. Saving CO2*. Retrieved April 18, 2018, from https://www.ssab.com/products/brands/strenx/customer-case-ecoupgraded-loader-crane

SSAB. (2014). *Cold-rolled steel plates, sheets and coils environmental product declaration ISO 14025* (Technical Report). Hämeenlinna, Finland.

SSAB (n.d.). FEM Analys - En generell jämförelse av concept [PowerPoint slides].

Transport and Mobility Leuven. (2009). *TREMOVE economic transport and emissions model*. Retrieved from www.tmleuven.be/methode/tremove/home.htm

Transportstyrelsen. (2010), Weight and dimension regulations for heavy vehicles 2010. Retrieved April 23, 2018, from

https://www.transportstyrelsen.se/globalassets/global/publikationer/vag/yrkestrafik/lastalagligt/pv09314en_lasta_lagligt_juni_2010_eng.pdf

Trucks NL. (2018). *Used Truck Crane trucks for sale*. Retrieved April 22, 2018, from https://www.trucks.nl/en/used-trucks/truck-crane/

Vemservice. (2018). Bodbilar. Retrieved April 21, 2018, from http://vemservice.se/bodbilar-2/

Vemservice [image]. (2018) Retrieved from http://www.pictaramview.com/hashtags/vemservice

8. Appendices

Appendix A: Life Cycle Impact Analysis Inventory of Crane trucks

Crane truck new design								
92tm crane lifecycle GWP								
Calculation:	Analyze							
Results:	Inventory							
Product:	1 p Crane truck frame 92tm Life cycle (New design) (of project Steel)							
Method:	IPCC 2013 GWP 100a V1.00							
Indicator:	Characterization							
Compartment:	All compartments							
Per sub-compartment:	No							
Skip unused:	No							
Category:	IPCC GWP 100a							
Cut-off:	0,10 %							
Exclude infrastructure processes:	No							
Exclude long-term								
emissions:	No							
Sorted on item:	Substance							
Sort order:	Ascending							
No	Substance	Compartm	Unit	Total	Processed Steel	Transport manufacture phase	Electricity manufacture phase	Transport Use phase
			kg CO2		oucoscu otec.		mananana pinase	
	Total		eq	201170,52	6195,5894	118,74483	346,20991	194509,98
	Remaining substances		kg CO2 eq	302,20064	17,557886	0,19017636	9,3184367	275,13414
1	Carbon dioxide, fossil	Air	kg CO2 eq	193142,54	5676,4181	114,96787	301,8888	187049,27
2	Dinitrogen monoxide	Air	kg CO2 eq	2307,9418	38,745093	0,40701126	16,105763	2252,684
3	Methane, fossil	Air	kg CO2 eq	5417,8348	462,8684	3,1797743	18,896908	4932,8897

Crane truck new design								
92tm life cycle CED								
Calculation:	Analyze							
Results:	Inventory							
Product:	1 p Crane truck frame 92tm Life cycle (New design) (of project Steel)							
Method:	Cumulative Energy Demand V1.09 / Cumulative energy demand							
Indicator:	Single score							
Compartment:	All compartments							
Per sub-compartment:	No							
Skip unused:	No							
Cut-off:	0,10 %	5						
Default units:	No							
Exclude infrastructure processes:	No							
Exclude long-term								
emissions:	No							
Sorted on item:	Substance							
Sort order:	Ascending							
No	Substance	Compartm	Unit	Total	Processed Steel	Transport manufactue phase	Electricity manufacture phase	Transport use
NO	Total	ent	TJ	3,3140235		F-11-11-11-11-11-11-11-11-11-11-11-11-11	Contract of the Contract of th	Water Control
	Remaining substances		TJ	0.004923448		4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4		
	1 Coal, brown	Raw	TJ	0,014574509	1,63		7/	
	2 Coal, hard	Raw	TJ	0,1856818				The state of the s
	Energy, gross calorific value, in 3 biomass	Raw	TJ.	0,02731148		•		
	Energy, potential (in hydropower 4 reservoir), converted	Raw	τJ	0,041295264	***************************************			
	Gas, mine, off-gas, process, coal 5 mining/m3	Raw	LΤ	0,003539502		-	-	
	6 Gas, natural/m3	Raw	TJ	0,20566435		100000000000000000000000000000000000000		
	7 Oil, crude	Raw	TJ	2,7195535	0,010273167	0,001718152	0,000808408	2,7067538
	8 Uranium	Raw	TJ	0,11147962	0,023753068	3,72E-05	0,035588765	0,05210060

Crane truck old design 92tm crane lifecycle GWP								
Calculation:	Analyze							
Results:	Inventory							
	1 p Crane truck frame 92tm Life							
Product:	cycle(old Design) (of project Steel)							
Method:	IPCC 2013 GWP 100a V1.00							
Indicator:	Characterization							
Compartment:	All compartments							
Per sub-compartment:	No							
Skip unused:	No							
Category:	IPCC GWP 100a							
Cut-off:	0,10 %	5						
Exclude infrastructure processes:	No							
Exclude long-term								
emissions:	No							
Sorted on item:	Substance							
Sort order:	Ascending							
-22	CVS	Compartm		LIGINE		Transport,	Electricity,	Transport, use
No	Substance	ent	Unit	Total	Processed Steel	manufacture	manufacture	phae
	Total		kg CO2	183241,75	5629,2115	323,61788	560,32868	176728,59
	10101		kg CO2	2002 (2)/0	3023,2223	323,02730	300,32000	2,0,20,00
	Remaining substances		eq	305,74951	15,952809	0,51829179	39,29602	249,98239
			kg CO2					
1	Carbon dioxide, fossil	Air	eq	175889,47	5157,5009	313,32444	468,72607	169949,91
2	Dinitrogen monoxide	Air	kg CO2 eq	2105,7184	35,20316	1,1092367	22,654109	2046,7519
	Methane, fossil	Air	kg CO2 eq	4940,8162	420,55468	8,6659085	29,652482	4481,9431

Crane truck old design 92tm life cycle CED								
Calculation:	Analyze							
Results:	Inventory							
nesuits.	1 p Crane truck frame 92tm Life							
Product:	cycle(old Design) (of project Steel)							
Method:	Cumulative Energy Demand V1.09 / Cumulative energy demand							
Indicator:	Single score							
1401110101010101	III AAA TAA KAAMAAA							
Compartment:	All compartments							
Per sub-compartment:	No							
Skip unused:	No							
Cut-off:	0,10 %							
Default units:	No							
Exclude infrastructure								
processes:	No							
Exclude long-term emissions:	No							
Sorted on item:	Substance							
Sort order:	Ascending							
No	Substance	Compartm	Unit	Total	Processed Steel	Transport, Manufacture	Electricity,	Transport, freight, use phase
	Total		TJ	3,0412605	0,083168717	0,005524358	0,078941682	2,8736258
	Remaining substances		TJ	0,004850875	0,000635239	6,72E-06	0,001158309	0,003050611
	1 Coal, brown	Raw	TJ	0,013366691	0,000820674	2,59E-05	0,00029174	0,012228341
3	2 Coal, hard	Raw	TJ	0,1695553	0,029614982	0,000276481	0,001800659	0,13786317
	Energy, gross calorific value, in 3 biomass	Raw	TJ.	0,027333857	0,003795881	3,87E-05	0,00703723	0,016462086
	Energy, potential (in hydropower			.,	.,	-,	-,,	,
	4 reservoir), converted	Raw	TJ	0,04309215	0,010654565	3,27E-05	0,017339913	0,015064963
	Gas, mine, off-gas, process, coal		7/4	7.8.7.10.572.775.775.				
9	5 mining/m3	Raw	TJ	0,003232635	0,000563669	5,25E-06	3,62E-05	0,002627563
	6 Gas, natural/m3	Raw	TJ	0,18781768	0,006168024			
	7 Oil, crude	Raw	TJ	2,4751394	0,009334032			
	8 Uranium	Raw	TJ	0,11687189	0,02158165			

Crane truck old design								
92tm life cycle ReCiPe								
Calculation:	Analyze							
Results:	Inventory							
	1 p Crane truck frame 92tm Life							
Product:	cycle(old Design) (of project Steel)							
	ReCiPe Endpoint (H) V1.12 / Europe							
Method:	ReCiPe H/A							
Indicator:	Single score							
Compartment:	All compartments							
Per sub-compartment:	No							
Skip unused:	No							
Cut-off:	0,10 %							
Default units:	No							
Exclude infrastructure								
processes:	No							
Exclude long-term								
emissions:	No							
Sorted on item:	Substance							
Sort order:	Ascending							
	50 may 1, 10 m 10 m 10 m							
		Compartm	1			Transport,	Electricity,	Transport, use
No	Substance	ent	Unit	Total	Processed Steel		manufacture	phase
	Total	Sin.	kPt	19,434178		0,036651958		
	Remaining substances		kPt	0,3205536		172	70	+
	1 Antimony	Air	kPt	0,5502292				
	2 Arsenic	Water	kPt		The state of the s			
				0,047072889		1 5		
	Barium	Air	kPt	0,021974376				
	Carbon dioxide, fossil	Air	kPt	7,9609613				
	Chromium	Raw	kPt	0,094179029	0,074785192			
	Coal, brown	Raw	kPt	0,032546677	0,001998267			
	7 Coal, hard	Raw	kPt	0,4124508				
	Copper	Air	kPt	0,034008968	4,81E-05	4,45E-05	6,04E-06	0,03391026
	Copper, 0.99% in sulfide, Cu 0.36%							
	and Mo 8.2E-3% in crude ore	Raw	kPt	0,027322775	0,000932339	3,47E-05		
10	Dinitrogen monoxide	Air	kPt	0,10708905	0,001790303	5,64E-05	0,001152104	0,1040902
1	I Gas, natural/m3	Raw	kPt	0,43216702	0,014192576	0,000816301	0,003718315	0,4134398
1	2 Iron	Raw	kPt	0,24969041	0,10775761	0,000230799	0,001723612	0,1399783
1	3 Lead	Air	kPt	0,097909139	0,003700678	1,25E-04	0,000342575	0,09374054
1	1 Manganese	Raw	kPt	0,20023176	0,16462604	7,21E-05	0,00018663	0,03534701
1	5 Manganese	Water	kPt	0,1922681	0,05934938	2,51E-04	2,10E-03	0,1305666
10	5 Mercury	Air	kPt	0,021616307	0,00130525	3,25E-05	9,13E-05	0,02018728
1	7 Methane, fossil	Air	kPt	0,19957082	0,016987162	3,50E-04	0,001197731	0,181035
	Nickel, 1.98% in silicates, 1.04% in			AND THE PROPERTY OF THE PARTY O	50% ANNA SEE ASSESSADE TO	2.3870.652.240	2010/03/03/03/03/03/03/03/03/03/03/03/03/03	4.500.000.000
1	3 crude ore	Raw	kPt	0,12889432	0,097264485	6,15E-05	0,000400071	0,03116830
	Nitrogen oxides	Air	kPt	0,30532406	117/			
	Occupation, forest, intensive	Raw	kPt	0,095958798		0,000142962		
	Occupation, traffic area, rail/road		750 TO	-,::3000.00	3,1222,304	-,	3,5255, 1022	-,
2	L embankment	Raw	kPt	0,072755658	0,000361988	0,000264701	4,04E-04	0,07172464
-	Occupation, traffic area, road	1,000	NI C	0,072733030	0,000301300	0,000204701	4,042.04	0,07172404
2	2 network	Raw	kPt	0,34290651	0,00064975	0,001256602	3,23E-05	0,340967
		Raw						
	3 Oil, crude		kPt	6,0233437				
	Particulates, < 2.5 um	Air	kPt	0,43982458				
	5 Particulates, > 2.5 um, and < 10um	Air	kPt	0,47634663				
	Sulfur dioxide	Air	kPt	0,2983758				
2	7 Transformation, from forest	Raw	kPt	0,23464772	0,001116926	0,000444571	0,000207817	0,2328784
震	Transformation, from forest,	re:	100	2/22/2020	200000000000			21214256531
	3 intensive	Raw	kPt	0,19103213				+
	Transformation, from unknown	Raw	kPt	0,040722946				
30	Transformation, to forest	Raw	kPt	-0,02648476	-0,000627014	-9,39E-05	-3,67E-05	-0,02572722
	Transformation, to forest,							
	l intensive	Raw	kPt	-0,19131263	-0,025691954	-0,000285265	-0,047593078	-0,1177423

Crane truck new design								
92tm life cycle ReCiPe								
- The city of the city of								
Calculation:	Analyze							
Results:	Inventory							
nesures.	1 p Crane truck frame 92tm Life cycle (New design) (of project							
Product:	Steel) ReCiPe Endpoint (H) V1.12 / Europe							
Method:	ReCiPe H/A							
Indicator:	Single score							
Compartment:	All compartments							
Per sub-compartment:	No							
Skip unused:	No							
Cut-off:	0,10 %							
Default units:	No							
Exclude infrastructure								
processes:	No							
Exclude long-term emissions:	No							
Sorted on item:	Substance							
Sorted on item: Sort order:	Ascending							
Joil Gruel:	Ascending							
		Comment				T	Flantalata.	Transment III
•1	Colorado	Compartn		Taxal	Barrage des	Transport,	Electricity,	Transport, Use
No	Substance	ent	Unit	Total	Processed Steel	manufacture	manufacture	phase
	Total		kPt	21,323379		0,013448671	0,052718747	20,06566
	Remaining substances		kPt	0,34720263	0,071498828	1000	4,11E-03	1 100
	1 Antimony	Air	kPt	0,6050531	0,000337915	2,64E-04	1,24E-05	
	2 Arsenic	Water	kPt	0,051200604	1,75E-02	1,75E-05	7,40E-04	0,03296617
3	3 Barium	Air	kPt	0,02416241	2,35E-05	1,06E-05	3,39E-06	0,02412495
	Carbon dioxide, fossil	Air	kPt	8,7418556	0,25692127	5,20E-03	0,013663837	8,466066
	5 Chromium	Raw	kPt	0,10346011	0,082309635	1,38E-05	0,000221573	0,02091513
	Coal, brown	Raw	kPt	0,035487605	0,002199321	2,32E-05	0,000494439	0,03277067
5	Coal, hard	Raw	kPt	0,45167925	7,93E-02	2,47E-04	3,04E-03	0,3691000
	3 Copper	Air	kPt	0,037394774	5,30E-05	1,63E-05	3,35E-06	0,03732211
	Copper, 0.99% in sulfide, Cu 0.36% and Mo 8.2E-3% in crude ore	Raw	kPt	0,029328076	0,001026145	1,27E-05	7,14E-05	0,02821774
	Dinitrogen monoxide	Air	kPt	0,11737339	0,001970432			
	L Gas, natural/m3	Raw	kPt	0,47323205				
	2 Iron	Raw	kPt	0,27396881	0,11859954			
	3 Lead	Air	kPt	0,10746595				
	1 Manganese	Raw	kPt	0,22024851	0,18118973			
	5 Manganese	Water	kPt	0,21014989	0,065320763	9,21E-05		
	5 Mercury	Air	kPt	0,023727804				
	7 Methane, fossil	Air	kPt	0,21883869			0,000763289	
	Nickel, 1.98% in silicates, 1.04% in				0,018696309	1,28E-04	70	
	3 crude ore	Raw	kPt	0,14164364		H 645400 2000		
	Nitrogen oxides	Air	kPt	0,33342105	0,015534218	9,14E-04	0,001102747	0,3158696
20	Occupation, forest, intensive	Raw	kPt	0,096236363	0,014404379	5,25E-05	0,017004613	0,06477491
2:	Occupation, traffic area, rail/road embankment	Raw	kPt	0,079728955	0,000398409	9,71E-05	2,92E-04	0,07894115
	Occupation, traffic area, road							
22	2 network	Raw	kPt	0,37647156	0,000715124	0,000461084	2,13E-05	0,3752740
23	3 Oil, crude	Raw	kPt	6,6181344	0,025000134	0,004181188	0,001967291	6,586985
24	Particulates, < 2.5 um	Air	kPt	0,48280466	0,03993271	0,000306195	0,001022886	0,4415428
25	Particulates, > 2.5 um, and < 10um	Air	kPt	0,52300383	0,051196123	0,000337654	0,000995553	0,470474
20	5 Sulfur dioxide	Air	kPt	0,32711406	0,016986171	0,000199463	0,00082096	0,3091074
2	7 Transformation, from forest	Raw	kPt	0,25780248				
	Transformation, from forest,			***************************************		480000000000000000000000000000000000000		
28	3 intensive	Raw	kPt	0,19145769	0,028253342	1,05E-04	0,033789773	0,1293100
	Transformation, from unknown	Raw	kPt	0,044557372				
	Transformation, to forest	Raw	kPt	-0,02906491				
17.0	- Harris Harris (1987) - 1885 - 1886 - 1886 - 1886 - 1886 - 1886 - 1886 - 1886 - 1886 - 1886 - 1886 - 1886 - 1	100,000,000		140000000000000000000000000000000000000		10.5201.007.47070	-0.050000000000000000000000000000000000	
	Transformation, to forest,							

Comparison old and					
design 92tm crane truck					
lifecycle GWP					
Calculation:	Compare				
Results:	Inventory				
Product 1:	1 p Crane truck frame 92tm Life cycle(old Design) (of project Steel)				
Product 2:	1 p Crane truck frame 92tm Life cycle (New design) (of project Steel)				
Method:	IPCC 2013 GWP 100a V1.00				
Indicator:	Characterization				
Compartment:	All compartments				
Per sub-compartment:	No				
Skip unused:	No				
Category:	IPCC GWP 100a				
Cut-off:	0,10 %				
Exclude infrastructure processes:	No				
Exclude long-term					
emissions:	No				
Sorted on item:	Substance				
Sort order:	Ascending				
No	Substance	Compartm	Unit	Crane truck frame 92tm Life cycle(old Design)	Crane truck frame 92tm Life cycle (New design)
	Total		kg CO2 eq	183241,75	201170,52
	Remaining substances		kg CO2 eq	305,74951	302,20064
1	Carbon dioxide, fossil	Air	kg CO2 eq	175889,47	193142,54
2	Dinitrogen monoxide	Air	kg CO2 eq	2105,7184	2307,9418
3	Methane, fossil	Air	kg CO2 eq	4940,8162	5417,8348

Comparison old and					
design 92tm crane truck					
lifecycle CED					
Calculation:	Compare				
Results:	Inventory				
nesuits.	1 p Crane truck frame 92tm Life				
Product 1:	cycle (New design) (of project Steel)				
Product 2:	1 p Crane truck frame 92tm Life cycle(old Design) (of project Steel)				
Method:	Cumulative Energy Demand V1.09 / Cumulative energy demand				
Indicator:	Single score				
Compartment:	All compartments				
Per sub-compartment:	No				
Skip unused:	No				
Cut-off:	0,10 %				
Default units:	No				
Exclude infrastructure	NO .				
processes:	No				
Exclude long-term					
emissions:	No				
Sorted on item:	Substance				
Sort order:	Ascending				
No	Substance	Compartm	Unit	Crane truck frame 92tm Life cycle (New design)	Crane truck frame 92tm Life cycle(old Design)
	Total		TJ	3,3140235	3,0412605
	Remaining substances		TJ	0,004923448	0,004850875
1	Coal, brown	Raw	TJ	0,014574509	0,013366691
2	Coal, hard	Raw	TJ	0,1856818	0,1695553
3	Energy, gross calorific value, in biomass	Raw	τJ	0,02731148	0,027333857
4	Energy, potential (in hydropower reservoir), converted	Raw	TJ (T	0,041295264	0,04309215
	Gas, mine, off-gas, process, coal mining/m3	Paw		0,003539502	
	Gas, natural/m3	Raw	TJ TJ	0,20566435	The second secon
	Oil, crude	Raw	TJ	2,7195535	
			-0.77		
8	Uranium	Raw	TJ	0,11147962	0,1168718

Comparison old and					
design 92tm crane truck					
lifecycle ReCiPe					
Calculation:	Compare				
Results:	Inventory				
Product 1:	1 p Crane truck frame 92tm Life cycle (New design) (of project Steel)				
Product 2:	1 p Crane truck frame 92tm Life cycle(old Design) (of project Steel)				
N. Account Const.	ReCiPe Endpoint (H) V1.12 / Europe				
Method:	ReCiPe H/A				
Indicator:	Single score				
Compartment:	All compartments				
Per sub-compartment:	No				
Skip unused:	No				
Cut-off:	0,10 %				
Default units:	No				
Exclude infrastructure					
processes:	No				
Exclude long-term emissions:	No				
Sorted on item:	Substance				
Sort order:	Ascending				
		Compartm		Crane truck frame 92tm Life cycle	Crane truck frame 92tm Life cycle(old
No	Substance	ent	Unit	(New design)	Design)
	Total		kPt	21,392973	100000000000000000000000000000000000000
	Remaining substances	105500	kPt	0,35262223	
	Antimony	Air	kPt	0,60506947	
	2 Arsenic	Water	kPt	0,0521781	
	Barium	Air	kPt	0,024166889	
	Carbon dioxide, fossil	Air	kPt	8,7598932	
	Chromium	Raw	kPt	0,10375261	0,09444478
(Coal, brown	Raw	kPt	0,036140314	0,03313971
5	Coal, hard	Raw	kPt	0,45569819	0,4161023
8	Copper	Air	kPt	0,037399201	0,0340129
	Copper, 0.99% in sulfide, Cu 0.36%				
9	and Mo 8.2E-3% in crude ore	Raw	kPt	0,029422386	0,02740846
10	Dinitrogen monoxide	Air	kPt	0,11845465	0,1080714
11	Gas, natural/m3	Raw	kPt	0,47623433	0,4348948
12	! Iron	Raw	kPt	0,27558249	0,2511565
13	Lead	Air	kPt	0,10769666	0,09811876
14	Manganese	Raw	kPt	0,22041869	0,2003863
	Manganese	Water	kPt	0,21151425	24.500.000.000.000.000
	Mercury	Air	kPt	0,023808199	
	Methane, fossil	Air	kPt	0,21984631	Section Production Control Con
	Nickel, 1.98% in silicates, 1.04% in crude ore			0,14199499	*
		Raw	kPt		
	Nitrogen oxides	Air	kPt	0,33487679	0,3066462
20	Occupation, forest, intensive	Raw	kPt	0,11868417	0,1163545
	Occupation, traffic area, rail/road embankment		kPt	0,080114774	0,07310620

GWP of Crane truck new								
design 92tm manufacture								
Calculation:	Analyze							
Results:	Inventory							
Product:	1 p Crane Truck frame 92tm Manufacture (New design) (of project Steel)							
Method:	IPCC 2013 GWP 100a V1.00							
Indicator:	Characterization							
Compartment:	All compartments							
Per sub-compartment:	No							
Skip unused:	No							
Category:	IPCC GWP 100a							
Cut-off:	0,10 %							
Exclude infrastructure processes:	No							
Exclude long-term emissions:	No							
Sorted on item:	Substance							
Sort order:	Ascending							
No	Substance	Compartm	Unit	Total	Processed Steel	Transport, frame to Vemservice	Transport to painting	Electricity, manufacture
	Total		kg CO2 eq	6805,7958	6195,5894	39,581609	155,60798	415,01677
	Remaining substances		kg CO2 eq	13,611817	8,5302324	0,025373763	0,10183708	4,9543739
1	Carbon dioxide, fossil	Air	kg CO2 eq	6211,5499	5676,4181	38,322622	149,63941	347,16977
2	Dinitrogen monoxide	Air	kg CO2 eq	57,462054	38,745093	0,13567042	1,8021472	16,779143
3	Methane, biogenic	Air	kg CO2 eq	11,872873	6,0075237	0,017893868	0,053894425	5,7935609
4	Methane, fossil	Air	kg CO2 eq	489,83724	462,8684	1,0599248	3,9463118	21,962605
5	Sulfur hexafluoride	Air	kg CO2 eq	21,461948	3,0201301	0,020124488	0,064375808	18,357317

CED of Crane truck new								
design 92tm manufacture								
Calculation:	Analyze							
Results:	Inventory							
nesures.	1 p Crane Truck frame 92tm							
	Manufacture (New design) (of							
Product:	project Steel)							
	Cumulative Energy Demand V1.09 /							
Method:	Cumulative energy demand							
Indicator:	Single score							
Compartment:	All compartments							
Per sub-compartment:	No							
Skip unused:	No							
Cut-off:	0,10 %							
Default units:	No							
Exclude infrastructure								
processes:	No							
Exclude long-term								
emissions:	No							
Sorted on item:	Substance							
Sort order:	Ascending							
		Compartm				Transport, frame to	Transport, to	Electricity,
No	Substance	ent	Unit	Total	Processed Steel	Vemservice	painting	manufacture
	Total		GJ	153,21202	91,53666	6,76E-01	2,53E+00	58,46947
	Remaining substances		GJ	0,11449833	0,10326466	0,000456234	0,001453725	0,00932371
1	Coal, brown	Raw	GJ	1,1332671	0,90324565	0,003172091	0,010766948	0,2160823
2	Coal, hard	Raw	GJ	34,083559	32,594666	0,033816331	0,12138732	1,333688
	Energy, gross calorific value, in							
3	biomass	Raw	GJ	9,4092653	4,1778002	0,004728468	0,014494723	5,212241
			7 <u>2.5</u> 0					
4	Energy, kinetic (in wind), converted	Raw	GJ	0,72553072	0,31998271	0,000322565	0,001083685	0,4041417
	Energy, potential (in hydropower							
5	reservoir), converted	Raw	GJ	24,586925	11,726564	0,004000727	0,013264568	12,84309
	Gas, mine, off-gas, process, coal	Dave	GJ	0.65011366	0.63038453	0.000643336	0.003313546	0.03677634
	mining/m3 Gas, natural/m3	Raw	GJ	0,65011366 8,1870999				
	Oil, crude	Raw	G)	14,35231		THE CONTRACTOR OF THE PARTY OF	AND MARKET AND	
	Peat	Raw	G)	0,72055177				
	reat	ndw	33	0,72033177	0,2759054	4,2/E-U3	0,000148020	0,44445

GWP of Crane truck old								
design 92tm manufacture								
Calculation:	Analyze							
Results:	Inventory							
Product:	1 p Crane truck frame manufacture 92tm (old design) (of project Steel)							
Method:	IPCC 2013 GWP 100a V1.00							
Indicator:	Characterization							
Compartment:	All compartments							
Per sub-compartment:	No							
Skip unused:	No							
Category:	IPCC GWP 100a							
Cut-off:	0,10 %							
Exclude infrastructure processes:	No							
Exclude long-term	ino.							
emissions:	No							
Sorted on item:	Substance							
Sort order:	Ascending							
Sort order.	Ascending							
		Compartm				Transport, frame to	Electricity,	Transport to
No	Substance	ent	Unit	Total	Processed Steel	Wild become a college commerce account of	manufacture	painting
	Total		kg CO2 eq	6652,122	5629,2115	179,81602	560,32868	282,76575
	Remaining substances		kg CO2 eq	14,73983	7,75043	0,11527094	6,6890736	0,18505502
1	Carbon dioxide, fossil	Air	kg CO2 eq	6072,2434	5157,5009	174,09655	468,72607	271,91986
2	Dinitrogen monoxide	Air	kg CO2	61,748411	35,20316	0,61633966	22,654109	3,2748031
	Methane, biogenic	Air	kg CO2 eq	13,459653	14 50 10 10 10 10 10 10 10 10 10 10 10 10 10			
4	Methane, fossil	Air	kg CO2 eq	462,19342	420,55468	4,8151518	29,652482	7,171109
5	Sulfur hexafluoride	Air	kg CO2 eq	27,737304	2,744041	0,091423908	24,784857	0,11698162

CED of Crane truck old								
design 92tm manufacture								
Calculation:	Analyze							
Results:	Inventory							
	*							
	1 p Crane truck frame manufacture							
Product:	92tm (old design) (of project Steel)							
	Cumulative Energy Demand V1.09 /							
Method:	Cumulative energy demand							
Indicator:	Single score							
Compartment:	All compartments							
Per sub-compartment:	No							
Skip unused:	No							
Cut-off:	0,10 %							
Default units:	No							
Exclude infrastructure								
processes:	No							
Exclude long-term								
emissions:	No							
Sorted on item:	Substance							
Sort order:	Ascending							
		Compartm				Transport, frame to	Electricity,	Transport to
No	Substance	ent	Unit	Total	Processed Steel	Vemservice	manufacture	painting
	Total		GJ	169,77777	83,168717	3,0695708	78,941682	
	Remaining substances		GJ	0,11112715	0,09382459	0,002072634	0,012588268	0,00264166
1	Coal, brown	Raw	GJ	1,1463905	0,82067427	0,014410549	0,29174037	0,01956534
2	Coal, hard	Raw	GJ	31,789848	29,614982	0,15362483	1,8006594	0,2205810
	Energy, gross calorific value, in							
3	biomass	Raw	GJ	10,880932	3,7958811	0,021481043	7,0372303	0,02633933
4	Energy, kinetic (in wind), converted	Raw	GJ	0,83981163	0,29073107	0,001465386	0,54564594	0,00196923
	Energy, potential (in hydropower							
5	reservoir), converted	Raw	GJ	28,036757	10,654565	0,018174974	17,339913	0,0241039
	Gas, mine, off-gas, process, coal				- Contraction of the Contraction	NEWSON DAY (CO.)		
6	mining/m3	Raw	GJ	0,60694227	0,56366854	0,00291808	0,03615155	0,00420410
7	Gas, natural/m3	Raw	GJ	8,2685927	6,1680244	0,19712028	1,6159617	0,287486
8	Oil, crude	Raw	GJ	17,681302	9,3340323	2,6018087	1,8105611	3,934899
9	Peat	Raw	GJ	0,85122165	0,25068315	0,000194173	0,60007426	0,00027007
10	Uranium	Raw	GJ	69,564847	21,58165	0,056300157	47,851156	0,07574041

Comparison GWP New					
and old desigm					
manufacture					
Calculation:	Compare				
Results:	Inventory				
	1 p Crane Truck frame 92tm				
Product 1:	Manufacture (New design) (of project Steel)				
Product 2:	1 p Crane truck frame manufacture 92tm (old design) (of project Steel)				
Method:	IPCC 2013 GWP 100a V1.00				
Indicator:	Characterization				
Compartment:	All compartments				
Per sub-compartment:	No				
Skip unused:	No				
Category:	IPCC GWP 100a				
Cut-off:	0,10 %				
Exclude infrastructure	,				
processes:	No				
Exclude long-term emissions:	No				
Sorted on item:	Substance				
Sort order:	Ascending				
No	Substance	Compartm	Unit	Crane Truck frame 92tm Manufacture	Crane truck frame manufacture 92tm (old
NO	Substance	ent	kg CO2	(New design)	design)
	Total		eq eq	6805,7958	6652,122
	Total		kg CO2	0803,7938	0032,122
	Remaining substances		eq	13,611817	14,73983
			kg CO2		m//s&n ====
1	Carbon dioxide, fossil	Air	eq	6211,5499	6072,2434
			kg CO2		
2	Dinitrogen monoxide	Air	eq	57,462054	61,748411
3	Methane, biogenic	Air	kg CO2 eq	11,872873	13,459653
4	Methane, fossil	Air	kg CO2 eq	489,83724	462,19342
5	Sulfur hexafluoride	Air	kg CO2 eq	21,461948	27,737304

Comparison CED New and					
old desigm manufacture					
Calculation:	Compare				
Results:	Inventory				
	1 p Crane Truck frame 92tm Manufacture (New design) (of				
Product 1:	project Steel)				
Product 2:	1 p Crane truck frame manufacture 92tm (old design) (of project Steel)				
	Cumulative Energy Demand V1.09 /				
Method:	Cumulative energy demand				
Indicator:	Single score				
Compartment:	All compartments				
Per sub-compartment:	No				
Skip unused:	No				
Cut-off:	0,10 %				
Default units:	No				
Exclude infrastructure					
processes:	No				
Exclude long-term					
emissions:	No				
Sorted on item:	Substance				
Sort order:	Ascending				
No	Substance	Compartm	Unit	Crane Truck frame 92tm Manufacture (New design)	Crane truck frame manufacture 92tm (old design)
	Total		GJ	153,21202	169,77777
	Remaining substances		GJ	0,11449833	
1	Coal, brown	Raw	GJ	1,1332671	1,1463905
2	Coal, hard	Raw	GJ	34,083559	31,789848
3	Energy, gross calorific value, in biomass	Raw	GJ	9,4092653	10,880932
4	Energy, kinetic (in wind), converted	Raw	GJ	0,72553072	0,83981163
5	Energy, potential (in hydropower reservoir), converted	Raw	GJ	24,586925	28,036757
6	Gas, mine, off-gas, process, coal mining/m3	Raw	GJ	0,65011366	0,60694227
7	Gas, natural/m3	Raw	GJ	8,1870999	8,2685927
8	Oil, crude	Raw	GJ	14,35231	17,681302
9	Peat	Raw	GJ	0,72055177	0,85122165
10	Uranium	Raw	GJ	59,248897	69,564847

Comparison ReCiPe					
Ecoupgraded and new					
92tm crane truck					
lifecycle					
Calculation:	Compare				
Results:	Inventory				
Product 1:	1 p Crane truck frame EcoUpgraded Steel Life cycle (of project Steel)				
Product 2:	1 p Crane truck frame 92tm Life cycle (New design) (of project Steel)				
Method:	ReCiPe Endpoint (H) V1.12 / Europe ReCiPe H/A				
Indicator:	Single score				
Compartment:	All compartments				
Per sub-compartment:	No				
Skip unused:	No				
Cut-off:	0,10 %				
Default units:	No				
Exclude infrastructure processes:	No				
Exclude long-term					
emissions:	No				
Sorted on item:	Substance				
Sort order:	Ascending				
No	Substance	Compartm	Unit	frame EcoUpgraded Steel Life	Crane truck frame 92tm Lif cycle (New design)
No	Total	ent	kPt	cycle	
			kPt	18,143416	
	Remaining substances	Air	kPt	0,29792627	
	1 Antimony 2 Arsenic			0,51443052 0,043777094	031.4010.0010.0010.001
		Water	kPt		<u> </u>
	Barium Carbon dioxide, fossil	Air Air	kPt kPt	0,020543888 7,4356108	
	4 Carbon dioxide, fossil 5 Chromium	Raw	kPt	0,087998596	
	5 Coal, brown	Raw	kPt	0,087998596	
	7 Coal, hard	Raw	kPt	0,030271974	
	Coal, nard S Copper	Air	kPt	0,3845987	
	Copper, 0.99% in sulfide, Cu 0.36%	Security provi			5 000 100 100 100 100 100 100 100 100 10
	and Mo 8.2E-3% in crude ore	Raw	kPt	0,025405263	
	Dinitrogen monoxide	Air	kPt	0,099965631	
	1 Gas, natural/m3	Raw	kPt	0,40310673	
	2 Iron 3 Lead	Raw Air	kPt kPt	0,23310931	
		Raw	kPt kPt	0,091472295 0,18720412	
	Manganese Manganese	Harrier Wo	kPt		
	5 Manganese 6 Mercury	Water Air	kPt kPt	0,17930575 0,020187772	
	7 Methane, fossil	Air	kPt	0,020187772	The Commission of the Commissi
	Nickel, 1.98% in silicates, 1.04% in				
13	8 crude ore	Raw	kPt	0,12044739	0,1416436
127	Nitrogen oxides	Air	kPt	0,28337275	0,3334210

Comparison GWP					
Ecoupgraded and new					
92tm crane truck					
lifecycle					
A CONTRACTOR OF THE PARTY OF TH					
Calculation:	Compare				
Results:	Inventory				
D	1 p Crane truck frame EcoUpgraded				
Product 1:	Steel Life cycle (of project Steel)				
Product 2:	1 p Crane truck frame 92tm Life cycle (New design) (of project Steel)				
Method:	IPCC 2013 GWP 100a V1.00				
Indicator:	Characterization				
Compartment:	All compartments				
Per sub-compartment:	No				
Skip unused:	No				
Category:	IPCC GWP 100a				
Cut-off:	0,10 %				
Exclude infrastructure					
processes:	No				
Exclude long-term					
emissions:	No				
Sorted on item:	Substance				
Sort order:	Ascending				
				Crane truck	Crane truck
				frame	frame 92tm Life
		Comportm		EcoUpgraded Steel Life	cycle (New
No	Substance	Compartm	Unit	cycle	design)
NO	Substance	CIIC	kg CO2	Cycle	uesigiij
	Total		eq	171137,55	201170,52
			kg CO2		
	Remaining substances		eq	278,07158	302,20064
			kg CO2		7(5-2
1	Carbon dioxide, fossil	Air	eq	164282,37	193142,54
	· ·		kg CO2		
2	Dinitrogen monoxide	Air	eq	1965,6488	2307,9418
	and the state of t		kg CO2		
3	Methane, fossil	Air	eq	4611,4533	5417,8348

Compare				
les all controls and the second secon				
1 p Crane truck frame 92tm				
EcoUpgraded Steel Lifecycle (of				
cycle (New design) (of project				
8-				
No				
No				
Substance				
Ascending				
				
	Compartm		Crane truck frame 92tm EcoUpgraded Steel	Crane truck frame 92tm Life cycle (New
Substance	ent	Unit	Lifecycle	design)
Total		TJ	2,8266416	3,3140235
Remaining substances		TJ	0,004308224	0,004923448
Coal, brown	Raw	TJ	0,012432486	0,014574509
Coal, hard	Raw	TJ	0,15810552	0,1856818
Energy, gross calorific value, in biomass	Raw	TI	0.024175566	0,02731148
Energy, potential (in hydropower			-	0,041295264
Gas, mine, off-gas, process, coal				
				0,20566435
				Taran and a second
	111707794-217			
	EcoUpgraded Steel Lifecycle (of project Steel) 1 p Crane truck frame 92tm Life cycle (New design) (of project Steel) Cumulative Energy Demand V1.09 / Cumulative energy demand Single score All compartments No No No Substance Ascending Substance Total Remaining substances Coal, brown Coal, hard Energy, gross calorific value, in biomass Energy, potential (in hydropower reservoir), converted	Inventory 1 p Crane truck frame 92tm EcoUpgraded Steel Lifecycle (of project Steel) 1 p Crane truck frame 92tm Life cycle (New design) (of project Steel) Cumulative Energy Demand V1.09 / Cumulative energy demand Single score All compartments No No No No Substance Ascending Compartm Substance Ascending Compartm Energy, gross calorific value, in biomass Energy, potential (in hydropower reservoir), converted Gas, mine, off-gas, process, coal mining/m3 Gas, natural/m3 Gas, natural/m3 Gas, natural/m3 Gas, natural/m3 Gas, condes Coff project Coff project Coff project Compartm ent Compartm	Inventory 1 p Crane truck frame 92tm EcoUpgraded Steel Lifecycle (of project Steel) 1 p Crane truck frame 92tm Life cycle (New design) (of project Steel) Cumulative Energy Demand V1.09 / Cumulative energy demand Single score All compartments No No No No Substance Ascending Compartm Substance Ascending Compartm Substance Coal, brown Coal, hard Energy, gross calorific value, in biomass Energy, potential (in hydropower reservoir), converted Gas, mine, off-gas, process, coal mining/m3 Gas, natural/m3 Gas, n	Inventory 1 p Crane truck frame 92tm EcoUpgraded Steel Lifecycle (of project Steel) 1 p Crane truck frame 92tm Life cycle (New design) (of project Steel) Cumulative Energy Demand V1.09 / Cumulative energy demand Single score All compartments No No No No No Substance Ascending Crane truck frame 92tm Life cycle (New design) (of project Steel) Cumulative energy Demand V1.09 / Cumulative energy demand Single score All compartments No No Compartm Compartm EcoUpgraded Steel Steel Unit Lifecycle Total TJ 2,8266416 Remaining substances TJ 0,004308224 Coal, brown Coal, brown Coal, hard Energy, gross calorific value, in biomass Energy, gross calorific value, in biomass Energy, potential (in hydropower reservoir), converted Gas, mine, off-gas, process, coal mining/m3 Raw TJ 0,003014002 Gas, natural/m3 Raw TJ 0,003014002 Gas, natural/m3 Raw TJ 0,17518822 Oil, crude Raw TJ 0,17518822

GWP of Ecoupgraded new									
design 92tm life cycle									
Results:	Inventory								
	1 p Crane truck frame EcoUpgraded								
Product:	Steel Life cycle (of project Steel)								
Method:	IPCC 2013 GWP 100a V1.00								
Indicator:	Characterization								
Compartment:	All compartments								
Per sub-compartment:	No								
Skip unused:	No								
Category:	IPCC GWP 100a								
Cut-off:	0,10 %								
Exclude infrastructure processes:	No								
Exclude long-term									
emissions:	No								
Sorted on item:	Substance								
Sort order:	Ascending								
No	Substance	Compartm	Unit	Total	Processed Steel	Transport, frame to vemservice	Transport to painting	Electricity manufacture	Transport Use phase
	Total		kg CO2 eq	171137,55	5264,9215	33,635874	132,23339	415,01677	165291,7
	Remaining substances		kg CO2 eq	278,07158	14,920435	0,053869698	0,18704398	29,105252	233,8049
£9	Carbon dioxide, fossil	Air	kg CO2 eq	164282,37	4823,7372	32,566005	127,16139	347,16977	158951,7
	! Dinitrogen monoxide	Air	kg CO2 eq	1965,6488	32,925015	0,11529074	1,5314384	16,779143	1914,29
	Methane, fossil	Air	kg CO2 eq	4611,4533	393,33881	0,9007086	3,3535181	21,962605	4191,897

CED of Ecoupgraded new design 92tm life cycle									
Calculation:	Analyze								
Results:	Inventory								
results:	1 p Crane truck frame 92tm								
Product:	EcoUpgraded Steel Lifecycle (of project Steel)								
Method:	Cumulative Energy Demand V1.09 / Cumulative energy demand								
Indicator:	Single score								
Compartment:	All compartments								
Per sub-compartment:	No								
Skip unused:	No								
Cut-off:	0,10 %								
Default units:	No								
Exclude infrastructure processes:	No								
Exclude long-term emissions:	No								
Sorted on item:	Substance								
Sort order:	Ascending								
		Compartm				Transport, frame to	Transport to	Electricity,	Transport, use
No	Substance	ent	Unit	Total	Processed Steel	Vemservice	painting	manufacture	phase
	Total		TJ	2,8266416	0,077786518	0,000574185	0,002150129	0,058469472	2,6876613
	Remaining substances		TJ	0,004308224	0,00059413	6,98E-07	2,28E-06	0,00085792	0,002853193
(1)	L Coal, brown	Raw	TJ	0,012432486	0,000767565	2,70E-06	9,15E-06	0,000216082	0,011436994
	Coal, hard	Raw	TJ	0,15810552	0,027698472	2,87E-05	0,000103153	0,001333688	0,12894147
	Energy, gross calorific value, in 3 biomass	Raw	τJ	0,024175566	0,003550234	4,02E-06	1,23E-05	0,005212242	0,015396755
4	Energy, potential (in hydropower reservoir), converted	Raw	TJ	0,036912876	0,009965063	3,40E-06	1,13E-05	0,012843095	0,014090045
5	Gas, mine, off-gas, process, coal mining/m3	Raw	TJ.	0,003014002	0,000527191	5,46E-07	1,97E-06	2,68E-05	0,002457522
	Gas, natural/m3	Raw	TJ	0,17518822		11.000000000000000000000000000000000000			
	7 Oil, crude	Raw	TJ	2,3125577	0,008729988		0,001840128		
	3 Uranium	Raw	TJ	0,099947051					

ReCiPe of Ecoupgraded									
new design 92tm life									
cycle									
Calculation:	Analyze								
Results:	Inventory								
Product:	1 p Crane truck frame EcoUpgraded Steel Life cycle (of project Steel)								
	ReCiPe Endpoint (H) V1.12 / Europe								
Method:	ReCiPe H/A								
Indicator:	Single score								
Compartment:	All compartments								
Per sub-compartment:	No								
Skip unused:	No								
Cut-off:	0,10 %								
Default units:	No								
Exclude infrastructure									
processes:	No								
Exclude long-term									
emissions:	No								
Sorted on item:									
Sort order:	Substance Ascending								
Sort order:	Ascending								
								Florestale	•
147	12910	Compartm		125 880	le se s	Transport, frame to	Transport, freight	Electricity,	Transport use
No	Substance	ent	Unit	Total	Processed Steel		to painting	manufacture	phae
	Total		kPt	18,143416					17,05151
	Remaining substances		kPt	0,29792627			0,000184516	0,006286686	
	1 Antimony	Air	kPt	0,51443052	0,000287155	7,48E-05	0,000410915	1,44E-05	0,51364326
	2 Arsenic	Water	kPt	0,043777094	0,014851273	4,95E-06	2,24E-05	0,000884291	0,028014172
	3 Barium	Air	kPt	0,020543888	2,00E-05	2,99E-06	1,64E-05	3,49E-06	0,020501036
	4 Carbon dioxide, fossil	Air	kPt	7,4356108	0,21832794	0,001473975	0,005755472	0,015713307	7,1943401
	5 Chromium	Raw	kPt	0,087998596	0,069945527	3,90E-06	1,42E-05	0,000261572	0,017773378
	6 Coal, brown	Raw	kPt	0,030271974	0,001868951	6,56E-06	2,23E-05	0,000526141	0,02784804
	7 Coal, hard	Raw	kPt	0,3845987	0,067377766	6,99E-05	0,000250925	0,003244257	0,31365585
	8 Copper	Air	kPt	0,031795267					
	Copper, 0.99% in sulfide, Cu 0.36%							3,000	
	9 and Mo 8.2E-3% in crude ore	Raw	kPt	0,025405263	0,000872003	3,61E-06	1,92E-05	0,000531439	0,023979026
	10 Dinitrogen monoxide	Air	kPt	0,099965631	0,001674445	5,86E-06	7,79E-05	0,000853325	0,097354115
	11 Gas, natural/m3	Raw	kPt	0,40310673	0,013274114	8,48E-05	0,000309348	0,002754032	0,38668439
	12 Iron	Raw	kPt	0,23310931	0,10078416	2,40E-05	0,000104736	0,001276622	0,1309198
	13 Lead	Air	kPt	0,091472295	0,003461191	1,30E-05	7,01E-05	0,000253734	0,087674203
	14 Manganese	Raw	kPt	0,18720412	0,15397239	7,49E-06	2,64E-05	0,00013823	0,033059556
	15 Manganese	Water	kPt	0,17930575					
	16 Mercury	Air	kPt	0,020187772					
	17 Methane, fossil	Air	kPt	0,18626711					
	Nickel, 1.98% in silicates, 1.04% in	0.01		-,,,-11	2,12500,001	5,0.2.05	-,500155450	2,30000712	-,2033203
	18 crude ore	Raw	kPt	0,12044739	0,09097009	6,39E-06	2,33E-05	0,000296319	0,029151272
			kPt	0,28337275					
	19 Nitrogen oxides	Air	kPt	0,28337273					0,26842145
	20 Occupation, forest, intensive	Raw	KPT	0,00302/38/	0,012240631	1,49E-05	4,40E-05	0,017683285	0,035044//6
	Occupation, traffic area, rail/road 21 embankment	Raw	kPt	0,067802251	0,000338562	2,75E-05	5,37E-05	0,000299469	0,067083041
	Occupation, traffic area, road	Dave	l.n.	0.21001022	0.000007707	0.00012020	0.000055100	2 205 25	0.210000
	22 network	Raw	kPt	0,31991975					
	23 Oil, crude	Raw	kPt	5,6276949					5,5975244
	24 Particulates, < 2.5 um	Air	kPt	0,41067048					
	25 Particulates, > 2.5 um, and < 10um	Air	kPt	0,44479383					
	26 Sulfur dioxide	Air	kPt	0,27852343					
	27 Transformation, from forest	Raw	kPt	0,21922688	0,001044645	4,62E-05	0,000174246	0,000153923	0,21780786
	Transformation, from forest,								
	28 intensive	Raw	kPt	0,16925927	0,024009278	2,96E-05	8,79E-05		
	29 Transformation, from unknown	Raw	kPt	0,037926013	0,001505328	1,31E-05	2,88E-05	0,000324497	0,036054198
	30 Transformation, to forest	Raw	kPt	-0,0247049	-0,000586437	-9,76E-06	-1,92E-05	-2,71E-05	-0,024062306
	Transformation, to forest,								
	munistermunion, to forest,								

Comparison GWP						
EcoUpgraded vs new vs						
old 92tm crane truck						
lifecycle						
meeyere						
Calculation:	Compare					
Results:	Inventory					
Product 1:	1 p Crane truck frame 92tm EcoUpgraded Steel Lifecycle (of project Steel)					
Product 2:	1 p Crane truck frame 92tm Life cycle (New design) (of project Steel)					
Product 3:	1 p Crane truck frame 92tm Life cycle(old Design) (of project Steel)					
Method:	IPCC 2013 GWP 100a V1.00					
Indicator:	Characterization					
Compartment:	All compartments					
Per sub-compartment:	No					
Skip unused:	No					
Category:	IPCC GWP 100a					
Cut-off:	0,10 %					
Exclude infrastructure						
processes:	No					
Exclude long-term						
emissions:	No					
Sorted on item:	Substance					
Sort order:	Ascending					
				Crane truck	Crane truck	
No	Substance	Compartm	Unit	EcoUpgraded Steel Lifecycle	frame 92tm Life cycle (New design)	Crane truck frame 92tm Life cycle(old Design)
	Substance	CIIC	kg CO2		acsignij	Designij
	Total		eq eq	171137,55	201170,52	183241,75
	10.00		kg CO2		2011/0,32	103241,/3
	Remaining substances		eq eq	278,07158	302,20064	305,74951
			kg CO2	- CHARLES AND COMMITTEE	332,23304	303,74331
1	Carbon dioxide, fossil	Air	eq	164282,37	193142,54	175889,47
	u paragrafia sutan dossi www.ut f f fit?	0.3151	kg CO2			
2	2 Dinitrogen monoxide	Air	eq	1965,6488	2307,9418	2105,7184
a	Methane, fossil	Air	kg CO2 eq	4611,4533	5417,8348	4940,8162

Comparison CED						
EcoUpgraded vs new vs						
old 92tm crane truck						
lifecycle						
Calculation:	Compare					
Results:	Inventory					
Product 1:	1 p Crane truck frame 92tm EcoUpgraded Steel Lifecycle (of project Steel)					
Product 2:	1 p Crane truck frame 92tm Life cycle (New design) (of project Steel)					
Product 3:	1 p Crane truck frame 92tm Life cycle(old Design) (of project Steel)					
Method:	Cumulative Energy Demand V1.09 / Cumulative energy demand					
Indicator:	Single score					
Compartment:	All compartments					
Per sub-compartment:	No					
Skip unused:	No					
Cut-off:	0,10 %					
Default units:	No					
Exclude infrastructure processes:	No					
Exclude long-term						
emissions:	No					
Sorted on item:	Substance					
Sort order:	Ascending					
				Crane truck		
				frame 92tm	Crane truck	
No	Substance	Compartm	Unit	EcoUpgraded Steel Lifecycle	frame 92tm Life cycle (New design)	Crane truck frame 92tm Life cycle(old Design)
	Total		T)	2,8266416	3,3140235	3,0412605
	Remaining substances		TJ	0,004308224		A 24 CO S CO
	1 Coal, brown	Raw	TJ	0,012432486		TOWN THE PROPERTY OF THE PARTY.
	2 Coal, hard	Raw	TJ	0,15810552	0,1856818	0,1695553
	Energy, gross calorific value, in 3 biomass	Raw	TJ.	0,024175566	0,02731148	0,027333857
	Energy, potential (in hydropower 4 reservoir), converted	Raw	TJ	0,036912876	0,041295264	0,04309215
	Gas, mine, off-gas, process, coal 5 mining/m3	Raw	ΤJ	0,003014002	0,003539502	0,003232635
	6 Gas, natural/m3	Raw	TJ	0,17518822	0,20566435	0,18781768
	7 Oil, crude	Raw	TJ	2,3125577	2,7195535	2,4751394
	8 Uranium	Raw	TJ	0,099947051	0,11147962	0,11687189

Comparison ReciPe EcoUpgraded vs new vs						
The second secon						
old 92tm crane truck						
lifecycle						
Calculation:	Compare					
Results:	Inventory					
nesures.	1 p Crane truck frame 92tm					
	EcoUpgraded Steel Lifecycle (of					
Product 1:	project Steel)					
	1 p Crane truck frame 92tm Life					
	cycle (New design) (of project					
Product 2:	Steel)					
	1 p Crane truck frame 92tm Life					
Product 3:	cycle(old Design) (of project Steel)					
	ReCiPe Endpoint (H) V1.12 / Europe					
Method:	ReCiPe H/A					
Indicator:	Single score					
Compartment:	All compartments					
Per sub-compartment:	No					
Skip unused:	No					
Cut-off:	0,10 %					
Default units:	No					
Exclude infrastructure						
processes:	No					
Exclude long-term						
emissions:	No					
Sorted on item:	Substance					
Sort order:	Ascending					
Ma	Culturana	Compartm		Steel	cycle (New	Crane truck frame 92tm Life cycle(old
No	Substance	ent	Unit	Lifecycle	design)	Design)
	Total Remaining substances		kPt kPt	18,143416		CHESIS ACTOR AND A
1	Antimony	Air	kPt	0,29792627 0,51443052		
1	Antimony		1772		0,0030331	0,550225
		Water	LD+	0.043777094	0.051200604	0.04707288
2	Arsenic	Water Air	kPt	0,043777094		
2 3	Arsenic Barium	Air	kPt	0,020543888	0,02416241	0,02197437
2 3 4	Arsenic Barium Carbon dioxide, fossil	Air Air	kPt kPt	0,020543888 7,4356108	0,02416241 8,7418556	0,02197437 7,960961
2 3 4 5	Arsenic Barium Carbon dioxide, fossil Chromium	Air Air Raw	kPt kPt kPt	0,020543888 7,4356108 0,087998596	0,02416241 8,7418556 0,10346011	0,02197437 7,960961 0,09417902
2 3 4 5	Arsenic Barium Carbon dioxide, fossil Chromium Coal, brown	Air Air Raw Raw	kPt kPt kPt kPt	0,020543888 7,4356108 0,087998596 0,030271974	0,02416241 8,7418556 0,10346011 0,035487605	0,02197437 7,960961 0,09417902 0,03254667
2 3 4 5 6	Arsenic Barium Carbon dioxide, fossil Chromium Coal, brown Coal, hard	Air Air Raw Raw	kPt kPt kPt kPt kPt	0,020543888 7,4356108 0,087998596 0,030271974 0,3845987	0,02416241 8,7418556 0,10346011 0,035487605 0,45167925	0,02197437 7,960961 0,09417902 0,03254667 0,412450
2 3 4 5 6	Arsenic Barium Carbon dioxide, fossil Chromium Coal, brown	Air Air Raw Raw	kPt kPt kPt kPt	0,020543888 7,4356108 0,087998596 0,030271974	0,02416241 8,7418556 0,10346011 0,035487605 0,45167925	0,02197437 7,960961 0,09417902 0,03254667 0,412450
2 3 4 5 6 7 8	Arsenic Barium Carbon dioxide, fossil Chromium Coal, brown Coal, hard Copper	Air Air Raw Raw	kPt kPt kPt kPt kPt	0,020543888 7,4356108 0,087998596 0,030271974 0,3845987	0,02416241 8,7418556 0,10346011 0,035487605 0,45167925 0,037394774	0,02197437 7,960961 0,09417902 0,03254667 0,412450 0,03400896
2 3 4 5 6 7 8	Arsenic Barium Carbon dioxide, fossil Chromium Coal, brown Coal, hard Copper Copper, 0.99% in sulfide, Cu 0.36%	Air Air Raw Raw Raw Air	kPt kPt kPt kPt kPt kPt	0,020543888 7,4356108 0,087998596 0,030271974 0,3845987 0,031795267	0,02416241 8,7418556 0,10346011 0,035487605 0,45167925 0,037394774	0,02197437 7,960961 0,09417902 0,03254667 0,412450 0,03400896
2 3 4 5 6 7 8	Arsenic Barium Carbon dioxide, fossil Chromium Coal, brown Coal, hard Copper Copper, 0.99% in sulfide, Cu 0.36% and Mo 8.2E-3% in crude ore	Air Air Raw Raw Raw Air	kPt kPt kPt kPt kPt kPt kPt	0,020543888 7,4356108 0,087998596 0,030271974 0,3845987 0,031795267	0,02416241 8,7418556 0,10346011 0,035487605 0,45167925 0,037394774 0,029328076 0,11737339	0,02197437 7,960961 0,09417902 0,03254667 0,412450 0,03400896
2 3 4 5 6 7 8 9 10	Arsenic Barium Carbon dioxide, fossil Chromium Coal, brown Coal, hard Copper Copper, 0.99% in sulfide, Cu 0.36% and Mo 8.2E-3% in crude ore Dinitrogen monoxide	Air Air Raw Raw Raw Air	kPt kPt kPt kPt kPt kPt kPt	0,020543888 7,4356108 0,087998596 0,030271974 0,3845987 0,031795267 0,025405263 0,099965631	0,02416241 8,7418556 0,10346011 0,035487605 0,45167925 0,037394774 0,029328076 0,11737339 0,47323205	0,02197437 7,960961 0,09417902 0,03254667 0,412450 0,03400896 0,02732277 0,1070890 0,4321670
2 3 4 5 6 7 8 9 10 11	Arsenic Barium Carbon dioxide, fossil Chromium Coal, brown Coal, hard Copper Copper, 0.99% in sulfide, Cu 0.36% and Mo 8.2E-3% in crude ore Dinitrogen monoxide Gas, natural/m3	Air Air Raw Raw Air Raw Air Raw	kPt kPt kPt kPt kPt kPt kPt kPt	0,020543888 7,4356108 0,087998596 0,030271974 0,3845987 0,031795267 0,025405263 0,099965631 0,40310673	0,02416241 8,7418556 0,10346011 0,035487605 0,45167925 0,037394774 0,029328076 0,11737339 0,47323205 0,27396881	0,02197437 7,960961 0,09417902 0,03254667 0,412450 0,03400896 0,02732277 0,1070890 0,4321670 0,2496904
2 3 4 5 6 7 8 9 10 11 12	Arsenic Barium Carbon dioxide, fossil Chromium Coal, brown Coal, hard Copper Copper, 0.99% in sulfide, Cu 0.36% and Mo 8.2E-3% in crude ore Dinitrogen monoxide Gas, natural/m3	Air Air Raw Raw Air Raw Air Raw Raw	kPt kPt kPt kPt kPt kPt kPt kPt kPt	0,020543888 7,4356108 0,087998596 0,030271974 0,3845987 0,031795267 0,025405263 0,099965631 0,40310673 0,23310931	0,02416241 8,7418556 0,10346011 0,035487605 0,45167925 0,037394774 0,029328076 0,11737339 0,47323205 0,27396881 0,10746595	0,02197437 7,960961 0,09417902 0,03254667 0,412450 0,03400896 0,02732277 0,1070890 0,4321670 0,2496904 0,09790913
2 3 4 5 6 7 8 9 10 11 12 13	Arsenic Barium Carbon dioxide, fossil Chromium Coal, brown Coal, hard Copper Copper, 0.99% in sulfide, Cu 0.36% and Mo 8.2E-3% in crude ore Dinitrogen monoxide Gas, natural/m3 Iron Lead	Air Air Raw Raw Air Raw Air Raw Air Raw Air	kPt kPt kPt kPt kPt kPt kPt kPt kPt kPt	0,020543888 7,4356108 0,087998596 0,030271974 0,3845987 0,031795267 0,025405263 0,099965631 0,40310673 0,23310931 0,091472295	0,02416241 8,7418556 0,10346011 0,035487605 0,45167925 0,037394774 0,029328076 0,11737339 0,47323205 0,27396881 0,10746595 0,22024851	0,02197437 7,960961 0,09417902 0,03254667 0,412450 0,03400896 0,02732277 0,1070890 0,4321670 0,2496904 0,09790913 0,2002317
2 3 4 5 6 7 8 9 10 11 12 13 14	Arsenic Barium Carbon dioxide, fossil Chromium Coal, brown Coal, hard Copper Copper, 0.99% in sulfide, Cu 0.36% and Mo 8.2E-3% in crude ore Dinitrogen monoxide Gas, natural/m3 Iron Lead Manganese	Air Air Raw Raw Air Raw Air Raw Air Raw Air Raw Air	kPt	0,020543888 7,4356108 0,087998596 0,030271974 0,3845987 0,031795267 0,025405263 0,099965631 0,40310673 0,23310931 0,091472295 0,18720412	0,02416241 8,7418556 0,10346011 0,035487605 0,45167925 0,037394774 0,029328076 0,11737339 0,47323205 0,27396881 0,10746595 0,22024851 0,21014989	0,02197437 7,960961 0,09417902 0,03254667 0,412450 0,03400896 0,02732277 0,1070890 0,4321670 0,2496904 0,09790913 0,2002317 0,192268
2 3 4 5 6 7 8 9 10 11 12 13 14 15	Arsenic Barium Carbon dioxide, fossil Chromium Coal, brown Coal, hard Copper Copper, 0.99% in sulfide, Cu 0.36% and Mo 8.2E-3% in crude ore Dinitrogen monoxide Gas, natural/m3 Iron Lead Manganese Manganese	Air Air Raw Raw Air Raw Air Raw Air Raw Water	kPt	0,020543888 7,4356108 0,087998596 0,030271974 0,3845987 0,031795267 0,025405263 0,099965631 0,40310673 0,23310931 0,091472295 0,18720412 0,17930575	0,02416241 8,7418556 0,10346011 0,035487605 0,45167925 0,037394774 0,029328076 0,11737339 0,47323205 0,27396881 0,10746595 0,22024851 0,21014989 0,023727804	0,02197437 7,960961 0,09417902 0,03254667 0,412450 0,03400896 0,02732277 0,1070890 0,4321670 0,2496904 0,09790913 0,2002317 0,192268 0,02161630
2 3 4 5 6 7 8 9 10 11 12 13 14 15	Arsenic Barium Carbon dioxide, fossil Chromium Coal, brown Coal, hard Copper Copper, 0.99% in sulfide, Cu 0.36% and Mo 8.2E-3% in crude ore Dinitrogen monoxide Gas, natural/m3 Iron Lead Manganese Manganese Mercury	Air Air Raw Raw Air Raw Air Raw Air Raw Air Raw Air Raw Air	kPt	0,020543888 7,4356108 0,087998596 0,030271974 0,3845987 0,031795267 0,025405263 0,099965631 0,40310673 0,23310931 0,091472295 0,18720412 0,17930575 0,020187772	0,02416241 8,7418556 0,10346011 0,035487605 0,45167925 0,037394774 0,029328076 0,11737339 0,47323205 0,27396881 0,10746595 0,22024851 0,21014989 0,023727804	0,02197437 7,960961 0,09417902 0,03254667 0,412450 0,03400896 0,02732277 0,1070890 0,4321670 0,2496904 0,09790913 0,2002317 0,192268 0,02161630
2 3 4 5 6 7 8 9 10 11 12 13 14 15	Arsenic Barium Carbon dioxide, fossil Chromium Coal, brown Coal, hard Copper Copper, 0.99% in sulfide, Cu 0.36% and Mo 8.2E-3% in crude ore Dinitrogen monoxide Gas, natural/m3 Iron Lead Manganese Manganese Mercury Methane, fossil	Air Air Raw Raw Air Raw Air Raw Air Raw Air Raw Air Raw Air	kPt	0,020543888 7,4356108 0,087998596 0,030271974 0,3845987 0,031795267 0,025405263 0,099965631 0,40310673 0,23310931 0,091472295 0,18720412 0,17930575 0,020187772	0,02416241 8,7418556 0,10346011 0,035487605 0,45167925 0,037394774 0,029328076 0,11737339 0,47323205 0,27396881 0,10746595 0,22024851 0,21014989 0,023727804 0,21883869	0,02197437 7,960961 0,09417902 0,03254667 0,412450 0,03400896 0,02732277 0,1070890 0,4321670 0,2496904 0,09790913 0,2002317 0,192268 0,02161630 0,1995708
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16	Arsenic Barium Carbon dioxide, fossil Chromium Coal, brown Coal, hard Copper Copper, 0.99% in sulfide, Cu 0.36% and Mo 8.2E-3% in crude ore Dinitrogen monoxide Gas, natural/m3 Iron Lead Manganese Marcury Methane, fossil Nickel, 1.98% in silicates, 1.04% in	Air Air Raw Raw Air Raw Air Raw Air Raw Air Raw Air Raw Air	kPt	0,020543888 7,4356108 0,087998596 0,030271974 0,3845987 0,031795267 0,025405263 0,099965631 0,40310673 0,23310931 0,091472295 0,18720412 0,17930575 0,020187772 0,18626711	0,02416241 8,7418556 0,10346011 0,035487605 0,45167925 0,037394774 0,029328076 0,11737339 0,47323205 0,27396881 0,10746595 0,22024851 0,21014989 0,023727804 0,21883869	0,02197437 7,960961 0,09417902 0,03254667 0,412450 0,03400896 0,02732277 0,1070890 0,4321670 0,2496904 0,09790913 0,2002317 0,192268 0,02161630 0,1995708
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17	Arsenic Barium Carbon dioxide, fossil Chromium Coal, brown Coal, hard Copper Copper, 0.99% in sulfide, Cu 0.36% and Mo 8.2E-3% in crude ore Dinitrogen monoxide Gas, natural/m3 Iron Lead Manganese Manganese Mercury Methane, fossil Nickel, 1.98% in silicates, 1.04% in crude ore	Air Air Raw Raw Air Raw Water Air Air	kPt	0,020543888 7,4356108 0,087998596 0,030271974 0,3845987 0,031795267 0,025405263 0,099965631 0,40310673 0,23310931 0,091472295 0,18720412 0,17930575 0,020187772 0,18626711	0,02416241 8,7418556 0,10346011 0,035487605 0,45167925 0,037394774 0,029328076 0,11737339 0,47323205 0,27396881 0,10746595 0,22024851 0,21014989 0,023727804 0,21883869 0,14164364 0,33342105	0,02197433 7,960963 0,09417902 0,03254667 0,412450 0,03400896 0,02732277 0,1070890 0,4321670 0,2496904 0,09790913 0,2002317 0,192268 0,0161630 0,1995708
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17	Arsenic Barium Carbon dioxide, fossil Chromium Coal, brown Coal, hard Copper Copper, 0.99% in sulfide, Cu 0.36% and Mo 8.2E-3% in crude ore Dinitrogen monoxide Gas, natural/m3 Iron Lead Manganese Manganese Mercury Methane, fossil Nickel, 1.98% in silicates, 1.04% in crude ore Nitrogen oxides	Air Air Raw Raw Air Raw Air Raw Air Raw Air Raw Air Raw Air Raw Water Air Air	kPt	0,020543888 7,4356108 0,087998596 0,030271974 0,3845987 0,031795267 0,025405263 0,099965631 0,40310673 0,23310931 0,091472295 0,18720412 0,17930575 0,020187772 0,18626711 0,12044739 0,28337275	0,02416241 8,7418556 0,10346011 0,035487605 0,45167925 0,037394774 0,029328076 0,11737339 0,47323205 0,27396881 0,10746595 0,22024851 0,21014989 0,023727804 0,21883869 0,14164364 0,33342105 0,096236363	0,02197433 7,960963 0,09417902 0,03254667 0,412450 0,03400896 0,02732277 0,1070890 0,4321670 0,2496904 0,09790913 0,2002317 0,192268 0,02161630 0,1995708 0,1288943 0,3053240 0,09595879
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17	Arsenic Barium Carbon dioxide, fossil Chromium Coal, brown Coal, hard Copper Copper, 0.99% in sulfide, Cu 0.36% and Mo 8.2E-3% in crude ore Dinitrogen monoxide Gas, natural/m3 Iron Lead Manganese Manganese Mercury Methane, fossil Nickel, 1.98% in silicates, 1.04% in crude ore Nitrogen oxides Occupation, forest, intensive Occupation, traffic area, rail/road	Air Air Raw Raw Air Raw Air Raw Air Raw Air Raw Air Raw Air Raw Water Air Air Raw	kPt	0,020543888 7,4356108 0,087998596 0,030271974 0,3845987 0,031795267 0,025405263 0,099965631 0,40310673 0,23310931 0,091472295 0,18720412 0,17930575 0,020187772 0,18626711 0,12044739 0,28337275 0,085027587	0,02416241 8,7418556 0,10346011 0,035487605 0,45167925 0,037394774 0,029328076 0,11737339 0,47323205 0,27396881 0,10746595 0,22024851 0,21014989 0,023727804 0,21883869 0,14164364 0,33342105 0,096236363	0,02197437 7,960961 0,09417902 0,03254667 0,412450 0,03400896 0,02732277 0,1070890 0,4321670 0,2496904 0,09790913 0,2002317 0,192268 0,02161630 0,1995708 0,1288943 0,3053240 0,09595875
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17	Arsenic Barium Carbon dioxide, fossil Chromium Coal, brown Coal, hard Copper Copper, 0.99% in sulfide, Cu 0.36% and Mo 8.2E-3% in crude ore Dinitrogen monoxide Gas, natural/m3 Iron Lead Manganese Manganese Mercury Methane, fossil Nickel, 1.98% in silicates, 1.04% in crude ore Nitrogen oxides Occupation, forest, intensive Occupation, traffic area, rail/road embankment	Air Air Raw Raw Air Raw Air Raw Air Raw Air Raw Air Raw Air Raw Water Air Air Raw	kPt	0,020543888 7,4356108 0,087998596 0,030271974 0,3845987 0,031795267 0,025405263 0,099965631 0,40310673 0,23310931 0,091472295 0,18720412 0,17930575 0,020187772 0,18626711 0,12044739 0,28337275 0,085027587	0,02416241 8,7418556 0,10346011 0,035487605 0,45167925 0,037394774 0,029328076 0,11737339 0,47323205 0,27396881 0,10746595 0,22024851 0,21014989 0,023727804 0,21883869 0,14164364 0,33342105 0,096236363	0,02197437 7,960961 0,09417902 0,03254667 0,412450 0,03400896 0,02732277 0,1070890 0,4321670 0,2496904 0,09790913 0,2002317 0,192268 0,02161630 0,1995708 0,1288943 0,3053240 0,09595879
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17	Arsenic Barium Carbon dioxide, fossil Chromium Coal, brown Coal, hard Copper Copper, 0.99% in sulfide, Cu 0.36% and Mo 8.2E-3% in crude ore Dinitrogen monoxide Gas, natural/m3 Iron Lead Manganese Manganese Mercury Methane, fossil Nickel, 1.98% in silicates, 1.04% in crude ore Nitrogen oxides Occupation, forest, intensive Occupation, traffic area, rail/road embankment Occupation, traffic area, road	Air Air Raw Raw Air Raw Air Raw Air Raw Air Raw Air Raw Water Air Air Raw Air	kPt	0,020543888 7,4356108 0,087998596 0,030271974 0,3845987 0,031795267 0,025405263 0,099965631 0,40310673 0,23310931 0,091472295 0,18720412 0,17930575 0,020187772 0,18626711 0,12044739 0,28337275 0,085027587	0,02416241 8,7418556 0,10346011 0,035487605 0,45167925 0,037394774 0,029328076 0,11737339 0,47323205 0,27396881 0,10746595 0,22024851 0,21014989 0,023727804 0,21883869 0,14164364 0,33342105 0,096236363 0,079728955	0,02197437 7,960961 0,09417902 0,03254667 0,412450 0,03400896 0,02732277 0,1070890 0,4321670 0,2496904 0,09790913 0,2002317 0,192268 0,02161630 0,1995708 0,1288943 0,3053240 0,09595879
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21	Arsenic Barium Carbon dioxide, fossil Chromium Coal, brown Coal, hard Copper Copper, 0.99% in sulfide, Cu 0.36% and Mo 8.2E-3% in crude ore Dinitrogen monoxide Gas, natural/m3 Iron Lead Manganese Manganese Mercury Methane, fossil Nickel, 1.98% in silicates, 1.04% in crude ore Nitrogen oxides Occupation, forest, intensive Occupation, traffic area, rail/road embankment Occupation, traffic area, road network	Air Air Raw Raw Air Raw Air Raw Air Raw Air Raw Air Raw Water Air Air Raw Air	kPt	0,020543888 7,4356108 0,087998596 0,030271974 0,3845987 0,031795267 0,025405263 0,099965631 0,40310673 0,23310931 0,091472295 0,18720412 0,17930575 0,020187772 0,18626711 0,12044739 0,28337275 0,085027587 0,067802251	0,02416241 8,7418556 0,10346011 0,035487605 0,45167925 0,037394774 0,029328076 0,11737339 0,47323205 0,27396881 0,10746595 0,22024851 0,21014989 0,023727804 0,21883869 0,14164364 0,33342105 0,096236363 0,079728955 0,37647156 6,6181344	0,02197437 7,960961 0,09417902 0,03254667 0,412450 0,03400896 0,02732277 0,1070890 0,4321670 0,2496904 0,09790913 0,2002317 0,192268 0,02161630 0,1995708 0,1288943 0,3053240 0,09595879 0,07275565

Appendix B: Additional images from SimaPro database




Figure 1: Comparison CED (weighting) energy demand between crane truck with Ecoupgraded steel frame and new design frame lifecycle.




Figure 2: Comparison ReCiPe environmental impact between crane truck with Ecoupgraded steel frame and new design frame lifecycle.




Figure 3: Comparison ReCiPe single score environmental between crane truck with Ecoupgraded steel frame and new design frame lifecycle.




Figure 4: Comparison ReCiPe single score environmental between crane truck with new old design crane truck lifecycle.




Figure 5: Comparison CED (weighting) energy demand between new design and old design crane truck manufacture.




Figure 6: Comparison CED (characterization) energy demand between crane truck with Ecoupgraded steel frame, new design frame and old design lifecycle.




Figure 7: Comparison CED (Weighting) energy demand between crane truck with Ecoupgraded steel frame, new design frame and old design lifecycle.